



AEROSPACE MATERIAL SPECIFICATION	AMS-HH-G-101	REV. A
	Issued 2000-07 Reaffirmed 2007-06 Stabilized 2014-05 Superseding AMS-HH-G-101	
Gasket, Metallic-Encased		

RATIONALE

This document has been determined to contain basic and stable technology which is not dynamic in nature.

STABILIZED NOTICE

This document has been declared "Stabilized" by the AMS CE Elastomers Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2014 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
<http://www.sae.org>

SAE WEB ADDRESS:

**SAE values your input. To provide feedback
on this Technical Report, please visit
<http://www.sae.org/technical/standards/AMSHHG101A>**

NOTICE

This document has been taken directly from U.S. Military Specification HH-G-101E and contains only minor editorial and format changes required to bring it into conformance with the publishing requirements of SAE technical standards. The initial release of this document is intended to replace HH-G-101E. Any part numbers established by the original specification remain unchanged.

The original Military Specification was adopted as an SAE standard under the provisions of the SAE Technical Standards Board (TSB) Rules and Regulations (TSB 001) pertaining to accelerated adoption of government specifications and standards. TSB rules provide for (a) the publication of portions of unrevised government specifications and standards without consensus voting at the SAE Committee level, and (b) the use of the existing government specification or standard format.

Under Department of Defense policies and procedures, any qualification requirements and associated qualified products lists are mandatory for DOD contracts. Any requirement relating to qualified products lists (QPL's) has not been adopted by SAE and is not part of this SAE technical document.

1. SCOPE AND CLASSIFICATION:

1.1 SCOPE:

This specification covers metallic-encased gaskets with and without inlays.

1.2 Classification:

Gaskets shall be of the following types and styles (see 6.2):

1.2.1 Type: The type of gaskets shall consist of the following:

II - Metallic with cork core.

III - Metallic with asbestos-free fiber core.

NOTE: Type I (Metallic with asbestos core) has been deleted and replaced by Type III. Asbestos has been banned by the Government.

1.2.2 Style: The style of gaskets shall be designated by the following:

A - Single jacket

B - Double end

D - French inner

E - French 2 piece

F - French 3 piece

G - Double jacketed

H - Overlapped jacket

I - French narrow

J - Annular

2. APPLICABLE DOCUMENTS:

The following publications, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

2.1 U.S. Government Publications:

Available from DODSSP, Subscription Services Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

PPP-B-601 Boxes, Wood, Cleated Plywood

PPP-B-621 Boxes, Wood, Nailed and Lock-Corner

FED-STD-123 Marking for Shipment (Civil Agencies)