

FEDERAL SUPPLY CLASS
5330

**REV.
A**

AS3581™

RATIONALE


THIS DOCUMENT IS BEING STABILIZED AT THE REQUEST OF PROCURING ORGANIZATIONS FOR APPLICATIONS SPECIFIC TO ENGINE AND ENGINE CONTROL SYSTEMS. FOR HYDRAULIC AND PNEUMATIC APPLICATIONS AS83248/2 SHOULD BE USED.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE A-6C2 SEALS COMMITTEE AND WILL NO LONGER BE SUBJECT TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

For more information on this standard, visit
<https://www.sae.org/standards/content/AS3581A/>



ISSUED 1996-11 REAFFIRMED 2018-08 STABILIZED 2020-05

CUSTODIAN: E-25		PROCUREMENT SPECIFICATION: NONE	
	AEROSPACE STANDARD		AS3581™
	PACKING, PREFORMED - O-RING SEAL AMS7259		




FIGURE 1

TABLE 1 - DIMENSIONS

DASH NO.	ϕD	ϕW	APPROX MASS lb/100
-001	.025 - .033	.037 - .043	.0014
-002	.038 - .046	.047 - .053	.0028
-003	.052 - .060	.057 - .063	.0046
-004	.065 - .075	.067 - .073	.0078
-005	.096 - .106	.067 - .073	.0097
-006	.109 - .119	.067 - .073	.0101
-007	.140 - .150	.067 - .073	.0120
-008	.171 - .181	.067 - .073	.0138
-009	.203 - .213	.067 - .073	.0156
-010	.234 - .244	.067 - .073	.0170
-011	.296 - .306	.067 - .073	.0207
-012	.359 - .369	.067 - .073	.0239
-013	.421 - .431	.067 - .073	.0276
-014	.484 - .494	.067 - .073	.0313
-015	.544 - .558	.067 - .073	.0345
-016	.605 - .623	.067 - .073	.0382
-017	.667 - .685	.067 - .073	.0414
-018	.730 - .748	.067 - .073	.0451
-019	.792 - .810	.067 - .073	.0483
-020	.855 - .873	.067 - .073	.0520
-021	.917 - .935	.067 - .073	.0552
-022	.979 - .999	.067 - .073	.0589
-023	1.041 - 1.061	.067 - .073	.0626
-024	1.104 - 1.124	.067 - .073	.0658
-025	1.165 - 1.187	.067 - .073	.0695
-026	1.228 - 1.250	.067 - .073	.0727
-027	1.290 - 1.312	.067 - .073	.0764
-028	1.351 - 1.377	.067 - .073	.0796
-029	1.476 - 1.502	.067 - .073	.0865
-030	1.601 - 1.627	.067 - .073	.0938



AEROSPACE STANDARD

PACKING, PREFORMED - O-RING SEAL
AMS7259AS3581™
SHEET 1 OF 9REV.
A

TABLE 1 (CONTINUED)

DASH NO.	ϕ D	ϕ W	APPROX MASS lb/100
-031	1.724 - 1.754	.067 - .073	.1007
-032	1.849 - 1.879	.067 - .073	.1076
-033	1.971 - 2.007	.067 - .073	.1145
-034	2.096 - 2.132	.067 - .073	.1214
-035	2.221 - 2.257	.067 - .073	.1283
-036	2.346 - 2.382	.067 - .073	.1352
-037	2.471 - 2.507	.067 - .073	.1421
-038	2.594 - 2.634	.067 - .073	.1495
-039	2.719 - 2.759	.067 - .073	.1564
-040	2.844 - 2.884	.067 - .073	.1633
-041	2.965 - 3.013	.067 - .073	.1702
-042	3.215 - 3.263	.067 - .073	.1840
-043	3.465 - 3.513	.067 - .073	.1978
-044	3.712 - 3.766	.067 - .073	.2121
-045	3.962 - 4.016	.067 - .073	.2259
-046	4.209 - 4.269	.067 - .073	.2397
-047	4.459 - 4.519	.067 - .073	.2535
-048	4.709 - 4.769	.067 - .073	.2673
-049	4.952 - 5.026	.067 - .073	.2815
-050	5.202 - 5.276	.067 - .073	.2953
-102	.044 - .054	.100 - .106	.0184
-103	.076 - .086	.100 - .106	.0221
-104	.107 - .117	.100 - .106	.0258
-105	.138 - .148	.100 - .106	.0294
-106	.169 - .179	.100 - .106	.0336
-107	.201 - .211	.100 - .106	.0373
-108	.232 - .242	.100 - .106	.0409
-109	.294 - .304	.100 - .106	.0483
-110	.357 - .367	.100 - .106	.0561
-111	.419 - .429	.100 - .106	.0635
-112	.482 - .492	.100 - .106	.0708
-113	.542 - .556	.100 - .106	.0787
-114	.603 - .621	.100 - .106	.0860
-115	.665 - .683	.100 - .106	.0934
-116	.728 - .746	.100 - .106	.1012
-117	.789 - .809	.100 - .106	.1086
-118	.852 - .872	.100 - .106	.1164
-119	.914 - .934	.100 - .106	.1237
-120	.977 - .997	.100 - .106	.1311
-121	1.039 - 1.059	.100 - .106	.1389
-122	1.102 - 1.122	.100 - .106	.1463
-123	1.162 - 1.186	.100 - .106	.1536
-124	1.225 - 1.249	.100 - .106	.1615
-125	1.287 - 1.311	.100 - .106	.1688
-126	1.350 - 1.374	.100 - .106	.1762
-127	1.412 - 1.436	.100 - .106	.1840
-128	1.475 - 1.499	.100 - .106	.1914
-129	1.534 - 1.564	.100 - .106	.1987
-130	1.597 - 1.627	.100 - .106	.2065
-131	1.659 - 1.689	.100 - .106	.2139
-132	1.722 - 1.752	.100 - .106	.2217
-133	1.784 - 1.814	.100 - .106	.2291
-134	1.847 - 1.877	.100 - .106	.2364
-135	1.908 - 1.942	.100 - .106	.2443



AEROSPACE STANDARD

PACKING, PREFORMED - O-RING SEAL
AMS7259AS3581™
SHEET 2 OF 9REV.
A