

FEDERAL SUPPLY CLASS
5940

REV.
A

AS7928™/7

RATIONALE

REVISION REQUIRED TO INCLUDE STANDARD CRIMP TOOLS AND EDITORIAL CHANGES AS NEEDED.

NOTICE

THE COMPLETE REQUIREMENTS FOR PROCURING THE PRODUCT DESCRIBED HEREIN SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF AS7928.

CONTOUR INDICATED BY PHANTOM LINES MAY VARY FROM THAT SHOWN TO SUIT INDIVIDUAL MANUFACTURER'S DESIGN.





FIGURE 1 - TERMINAL CONFIGURATION

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE invites your written comments and suggestions.

SAE values your input. To provide feedback on this Technical Report, please visit <http://standards.sae.org/AS7928/7A>



CUSTODIAN: AE-8/AE-8C2

PROCUREMENT SPECIFICATION: AS7928



AEROSPACE STANDARD

(R) TERMINAL LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS 1 FOR 175 °C TOTAL CONDUCTOR TEMPERATURE

AS7928™/7
SHEET 1 OF 3

REV.
A

ISSUED 1999-04 REVISED 2014-01 REAFFIRMED 2018-11