

IEEE Standard for Safety Levels with Respect to Human Exposure to Electric, Magnetic, and Electromagnetic Fields, 0 Hz to 300 GHz Corrigenda 2

IEEE International Committee on Electromagnetic Safety (SCC39)

IEEE Std C95.1™-2019/Cor2-2020
(Corrigenda to IEEE Std C95.1-2019)

IEEE Standard for Safety Levels with Respect to Human Exposure to Electric, Magnetic, and Electromagnetic Fields, 0 Hz to 300 GHz Corrigenda 2

Developed by the

IEEE International Committee on Electromagnetic Safety (SCC39)

Approved 24 September 2020

IEEE SA Standards Board

Abstract: Technical corrections are addressed in this corrigendum. Figure 1 and Figure 2 in IEEE Std C95.1-2019 were found to be incorrect. They did not accurately portray the limits given in Table 2, Table 3, and Table 4. The figures were corrected with respect to frequency extent and breakpoints to be consistent with the tables.

Keywords: electric field strength, exposure reference level (ERL), IEEE C95.1™, magnetic flux density, restricted environment, unrestricted environment

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA
Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 21 October 2020. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-7055-1 STD24408

IEEE prohibits discrimination, harassment and bullying. For more information, visit <https://www.ieee.org/about/corporate/governance/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.