

	Test Report issued under the responsibility of:
<h2>TEST REPORT</h2> <h3>Electromagnetic Compatibility</h3>	
Report Number:	<i>Click or tap here to enter text</i>
Date of issue:	<i>Click or tap to enter a date.</i>
Total number of pages:	83
Name of Testing Laboratory preparing the Report:	
Applicant's name:	
Address:	
Test specification:	
TRF template used:	IECEE OD-2020-F7:2020; ed. 2
Standards:	According to OD-2020, Clause 3.3
Test procedure:	CB Scheme
Test Report Form No.:	According to OD -2020, Clause 3.3
Test Report Form(s) Originator:	Name of Originator
Master TRF:	Dated YYYY-MM-DD (according to 3.3.4)
<p>Copyright © 2021 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.</p> <p>This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.</p> <p>If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.</p> <p>This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.</p>	
General disclaimer:	
<p>The test results presented in this report relate only to the object tested.</p> <p>This report shall not be reproduced, except in full, without the written approval of the Issuing NCB. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.</p>	

Test item description	<i>Click or tap here to enter text</i>	
Trademark or brand name.....	<i>Click or tap here to enter text</i>	
Manufacturer.....	<i>Click or tap here to enter text</i>	
Model/Type reference(s).....	<i>Click or tap here to enter text</i>	
Ratings	<i>Click or tap here to enter text</i>	
Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):		
<input type="checkbox"/> CB Testing Laboratory:		
Testing location/ address		
Tested by (name, function, signature)		
Approved by (name, function, signature) ...:		
Testing procedure: CTF Stage 1:		
<input type="checkbox"/> Testing procedure: CTF Stage 1:		
Testing location/ address		
Tested by (name, function, signature)		
Approved by (name, function, signature) ...:		
Testing procedure: CTF Stage 2:		
<input type="checkbox"/> Testing procedure: CTF Stage 2:		
Testing location/ address		
Tested by (name + signature)		
Witnessed by (name, function, signature) ...:		
Approved by (name, function, signature) ...:		
Testing procedure: CTF Stage 3:		
<input type="checkbox"/> Testing procedure: CTF Stage 3:		
Testing procedure: CTF Stage 4:		
<input type="checkbox"/> Testing procedure: CTF Stage 4:		
Testing location/ address		
Tested by (name, function, signature)		
Witnessed by (name, function, signature) ...:		
Approved by (name, function, signature) ...:		
Supervised by (name, function, signature) :		

List of Attachments (including a total number of pages in each attachment):*Example: Attachments for national differences***Summary of testing****Tests performed (name of test and test clause):****Testing location:****Summary of compliance with National Differences****Country code****National differences standard***Ex: EU group differences**Ex: EN 61000-6-1:xxxx**Ex: EU group differences**Ex: EN 61000-6-4:xxxx**Ex: CA**Ex: CSA xxxxx***Use of uncertainty of measurement for decisions on conformity (decision rule) :**

No decision rule is specified by the IEC standard, when comparing the measurement result with the applicable limit according to the specification in that standard. The decisions on conformity are made without applying the measurement uncertainty ("simple acceptance" decision rule, previously known as "accuracy method").

Other:... (to be specified, for example when required by the standard or client).

Information on uncertainty of measurement:

The uncertainties of measurement are calculated by the laboratory based on application of criteria given by OD-5014 for test equipment and application of test methods, decision sheets and operational procedures of IECEE.

IEC Guide 115 provides guidance on the application of measurement uncertainty principles and applying the decision rule when reporting test results within IECEE scheme, noting that the reporting of the measurement uncertainty for measurements is not necessary unless required by the test standard or customer.

Calculations leading to the reported values are on file with the NCB and testing laboratory that conducted the testing.