
**Glassware — Hydrolytic resistance
of the interior surfaces of glass
containers —**

**Part 1:
Determination by titration method
and classification**

*Verrerie — Résistance hydrolytique des surfaces internes des
récipients en verre —*

Partie 1: Détermination par analyse titrimétrique et classification



Reference number
ISO 4802-1:2023(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	4
5 Reagents	4
6 Apparatus	5
7 Sample preparation	6
7.1 Sample size	6
7.2 Determination of the filling volume	6
7.2.1 Flat-bottomed containers ≤20 mm outer flange diameter (except ampoules, syringes and cartridges)	6
7.2.2 Flat-bottomed containers >20 mm outer flange diameter	7
7.2.3 Round-bottomed containers	7
7.2.4 Lipped containers	7
7.2.5 Ampoules	7
7.2.6 Syringes and cartridges	7
8 Procedure	8
8.1 General	8
8.2 Cleaning of samples	8
8.3 Filling and heating	8
8.4 Analysis of the extraction solutions	9
8.5 Test to determine whether the containers have been surface-treated	10
9 Expression of results	10
9.1 Determination	10
9.2 Classification	10
9.3 Distinction between containers of hydrolytic resistance container class HC _T 1 and hydrolytic resistance container class HC _T 2	10
9.4 Designation	11
10 Test report	11
11 Reproducibility	12
Bibliography	13