

BSI Standards Publication

Road vehicles — Spark-plugs and their cylinder head housings — Basic characteristics and dimensions



BS ISO 28741:2023 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of <u>ISO 28741:2023</u>. It supersedes <u>BS ISO 28741:2013</u>, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AUE/32, Electrical and electronic components and general system aspects (Road vehicles).

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023 Published by BSI Standards Limited 2023

ISBN 978 0 539 05814 7

ICS 43.060.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2023.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 28741:2023

INTERNATIONAL STANDARD

ISO 28741

Third edition 2023-08-31

Road vehicles — Spark-plugs and their cylinder head housings — Basic characteristics and dimensions

Véhicules routiers — Bougies d'allumage et leur logement dans la culasse — Caractéristiques élémentaires et dimensions

