



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS X 6319-4 : 2016

(JICSAP/JSA)

**Specification of implementation for
integrated circuit cards—
Part 4: High speed proximity cards**

ICS 35.240.15

Reference number : JIS X 6319-4 : 2016 (E)

Date of Establishment: 2005-07-20

Date of Revision: 2016-03-22

Date of Public Notice in Official Gazette: 2016-03-22

Investigated by: Japanese Industrial Standards Committee
Standards Board for IEC area
Technical Committee on Information

JIS X 6319-4:2016, First English edition published in 2017-01

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

Contents

	Page
Introduction.....	1
1 Scope	1
2 Normative references	2
3 Terms and definitions, abbreviations and symbols	3
3.1 Terms and definitions	3
3.2 Abbreviations and symbols	6
4 Physical characteristics	6
4.1 General physical characteristics	6
4.2 Dimensions	7
4.3 Surface condition	7
4.4 Substrate material	7
4.5 Additional physical characteristics	7
5 Air interface	9
5.1 Power transfer	9
5.2 Communication signal interface from PCD to PICC	9
5.3 Communication signal interface from PICC to PCD	11
6 Character, frame format and response timing	11
6.1 Character transmission	12
6.2 Frame format	12
6.3 PICC response timing	14
7 Overview of command message and response message	15
8 Initialization, anticollision and state transition	16
8.1 Communication initialization	16
8.2 Anticollision sequence	17
8.3 State of PICC	17
8.4 Anticollision response rule	21
8.5 REQ command	21
8.6 REQ response (ATQ)	23
8.7 WUP command	26
8.8 WUP response	27
8.9 HLT command	27
8.10 HLT response	27
8.11 ATTR command	28
8.12 ATTR response	29
9 File	31