

ICS 59.080.60  
W 56



# 中华人民共和国国家标准

GB/T 26847—2011

GB/T 26847—2011

## 纺织铺地物 词汇

Textile floor covering—Vocabulary

(ISO 2424:2007,MOD)

中华人民共和国  
国家标准  
纺织铺地物 词汇  
GB/T 26847—2011

\*

中国标准出版社出版发行  
北京复兴门外三里河北街16号  
邮政编码:100045

网址 [www.spc.net.cn](http://www.spc.net.cn)

电话:68523946 68517548

中国标准出版社秦皇岛印刷厂印刷  
各地新华书店经销

\*

开本 880×1230 1/16 印张 2.25 字数 62 千字  
2011年12月第一版 2011年12月第一次印刷


\*

书号: 155066·1-43717 定价 33.00 元

如有印装差错 由本社发行中心调换

版权专有 侵权必究

举报电话:(010)68533533



GB/T 26847-2011

2011-07-29 发布

2011-12-15 实施

中华人民共和国国家质量监督检验检疫总局  
中国国家标准化管理委员会 发布

runner ..... 8.3

## S

Saxony ..... 5.14  
 sculptured pile ..... 5.13  
 seaming ..... 8.6  
 secondary backing ..... 6.15  
 selvedge ..... 6.6  
 shag ..... 5.15  
 shedding ..... 9.1.1.2  
 shot ..... 6.12  
 single rapier weaving technique ..... 4.1.1.2.1  
 sinnet mat ..... 4.3.11  
 sized backing ..... 6.20  
 skewness ..... 9.1.4.7  
 soiling ..... 9.2.6  
 spool Axminster carpet ..... 4.1.1.3.1  
 sprouting ..... 9.1.3.1.8  
 stain resistance ..... 9.2.7  
 staining ..... 9.1.3.2.6  
 stair nosing ..... 8.17  
 stitch rate ..... 5.18.2  
 structured needled floor covering ..... 4.1.6.1  
 stuffer yarns ..... 6.3  
 substrate ..... 3.3  
 support fabric ..... 6.14

## T

temporary shading ..... 9.1.3.1.9.1  
 textile floor covering without pile ..... 4.2  
 textile floor coverings ..... 3.1  
 textile floor coverings with pile ..... 3.1.1  
 textile floor coverings with pile ..... 4.1  
 textile floor coverings without pile ..... 3.1.2  
 textural change ..... 9.1.3.1  
 textured surface ..... 5.10  
 thermal conductance ..... 9.2.3  
 thermal conductivity ..... 9.2.4  
 thickness above the substrate ..... 5.26  
 tip-sheared pile ..... 5.11  
 total pile ..... 5.23  
 total pile mass per unit area ..... 5.28  
 tracking ..... 9.1.3.1.9.2

## 前 言

本标准使用重新起草法修改采用 ISO 2424:2007《纺织铺地物 词汇》(英文版)。

ISO 2424:2007《纺织铺地物 词汇》是以机制地毯为主,对纺织铺地物的分类和术语定义,考虑我国地毯产品的实际情况,在本标准中补充了手工打结地毯的内容。

本标准与 ISO 2424:2007 相比,主要变化如下:

- 增加 4.1.2.1 机制簇绒地毯;
- 增加 4.1.2.2 手工簇绒地毯(手工枪刺胶背地毯);
- 增加 4.1.7.1.1 手工波斯结(8 字结)地毯;
- 增加 4.1.7.1.2 手工土耳其结(马蹄结)地毯;
- 增加 4.1.7.1.3 手工连环结地毯;
- 增加 4.2.5 手工编织无绒头纺织铺地物。

本标准由中国轻工业联合会提出。

本标准由全国地毯标准化技术委员会(SAC/TC 150)归口。

本标准起草单位:中国工艺美术协会地毯专业委员会、天津市地毯研究所。

本标准主要起草人:武淑雯、张玉芬、赵曜。

## I

impervious backing .....	6. 25
impregnation .....	6. 27
installation by full adhesion .....	8. 12
installation by perimeter fixing .....	8. 13
installation by stretching .....	8. 11
interlay .....	8. 10

## K

knitted backing .....	6. 17
knitted pile carpet .....	4. 1. 3
knitted textile floor covering with pile .....	4. 1. 3
knitted textile floor covering without pile .....	4. 2. 2
knotted pile carpet .....	4. 1. 7
knotted textile floor covering with pile .....	4. 1. 7

## L

laddering .....	9. 1. 4. 3
length of effective pile .....	5. 27
level pile .....	5. 7
loop .....	5. 2
loop column .....	5. 21
loop mat .....	4. 3. 7
loop pile .....	5. 4
loop row .....	5. 19
loose installation .....	8. 14
loss of thickness .....	9. 1. 2
loss of tuft definition .....	9. 1. 3. 1. 1
loss of use-surface material .....	9. 1. 1

## M

machine-knotted pile carpet .....	4. 1. 7. 2
machine-made tufted pile carpet .....	4. 1. 2. 1
mass of pile unit area above substrate .....	5. 29
mat .....	8. 4
measured pile fibre volume ratio .....	5. 31
measured surface pile density .....	5. 30
mesh mat .....	4. 3. 8
modular carpet .....	8. 5
multi-level pile .....	5. 8

## N

needled pile textile floor covering .....	4. 1. 6
---	---------

## 纺织铺地物 词汇

## 1 范围

本标准规定了与纺织铺地物相关专业术语的定义,并对其产品进行了分类。

## 2 规范性引用文件

下列文件中的条款通过本标准的引用而成为本标准的条款。凡是注日期的引用文件,其随后所有的修改单(不包括勘误的内容)或修订版均不适用于本标准,然而,鼓励根据本标准达成协议的各方研究是否可使用这些文件的最新版本。凡是不注日期的引用文件,其最新版本适用于本标准。

QB/T 1188 地毯质量测定(QB/T 1188—2001,eqv ISO8543:1998)

## 3 基本词汇

3.1 纺织铺地物 **textile floor coverings**

地毯 **carpet**

具有由纺织材料构成的使用面(毯面),一般用于铺设地面的覆合物品。

3.1.1 有绒头纺织铺地物 **textile floor coverings with pile**

绒头地毯 **pile carpet**

用机制或非机制的方法生产的,具有由毯基向外突出的一层纱线或纤维构成的纺织材料毯面的铺地物。

3.1.2 无绒头纺织铺地物 **textile floor coverings without pile**

由无绒头纺织材料构成的使用面或不带有毯基的铺地物。

3.2 使用面(毯面) **use-surface**

纺织铺地物外露的上表面直接经受踩踏的部分。

3.3 底基(毯基) **substrate**

一种由一层或多层底材构成并与毯面结合在一起的结构,其作用是支撑毯面。

3.4 地组织 **ground weave**

绒头纱线伸到机织背衬中,并与其结合在一起的组织。

## 4 纺织铺地物按其结构功能划分的定义和品种

4.1 有绒头纺织铺地物 **textile floor coverings with pile**

绒头地毯 **pile carpet**

4.1.1 机织有绒头纺织铺地物 **woven textile floor coverings with pile**

机织绒头地毯 **woven pile carpet**

由机织生产的使绒头与背衬纱线交织在一起而固定的有绒头地毯。

4.1.1.1 穿条威尔顿地毯 **wire Wilton carpet**

用纬向的穿条置入威尔顿地毯织机而织成的绒头地毯(见图1和图2)。