



中华人民共和国国家标准

GB/T 29023.1—2012/ISO 20998.1:2006

GB/T 29023.1—2012/ISO 20998.1:2006

超声法颗粒测量与表征 第1部分:超声衰减谱法的概念和过程

Measurement and characterization of particles by acoustic methods—
Part 1: Concepts and procedures in ultrasonic attenuation spectroscopy

(ISO 20998-1:2006, IDT)

中华人民共和国
国家标准
超声法颗粒测量与表征
第1部分:超声衰减谱法的概念和过程
GB/T 29023.1—2012/ISO 20998.1:2006

*
中国标准出版社出版发行
北京市朝阳区和平里西街甲2号(100013)
北京市西城区三里河北街16号(100045)
网址 www.spc.net.cn
总编室:(010)64275323 发行中心:(010)51780235
读者服务部:(010)68523946
中国标准出版社秦皇岛印刷厂印刷
各地新华书店经销

*
开本 880×1230 1/16 印张 1.5 字数 39 千字
2013年6月第一版 2013年6月第一次印刷

*
书号: 155066·1-47110 定价 24.00 元

如有印装差错 由本社发行中心调换
版权专有 侵权必究
举报电话:(010)68510107



GB/T 29023.1-2012

2012-12-31 发布

2013-10-01 实施

中华人民共和国国家质量监督检验检疫总局
中国国家标准化管理委员会 发布

目 次

前言	I
引言	II
1 范围	1
2 术语和定义	1
3 取样和参照物	3
3.1 取样考虑事项	3
3.2 参照物	3
4 方法	4
4.1 原理	4
4.2 仪器	4
4.3 准备	5
4.4 测量	7
4.5 衰减数据的解释	8
5 结果报告	8
5.1 实验室测试报告	8
5.2 在线测量与控制应用结果	9
附录 A (资料性附录) 技术	10
附录 B (资料性附录) 应用举例	15
附录 C (资料性附录) 衰减谱反演	16
参考文献	18

[20] SCOTT, D. M. BOXMAN, A. and JOCHEN, C. E. . Ultrasonic Measurement of Size—Micron Particles. Part. Part. Syst. Charact. 12:269-273 (1995)

[21] PENDSE, H. P. and SHARMA, A. . Particle size distribution analysis of industrial colloidal slurries using ultrasonic spectroscopy. Part. Part. Syst. Charact. 10:229-233 (1993)

[22] MOUGIN, P. , WILKINSON, D. and ROBERTS, K. J. . In-situ ultrasonic attenuation spectroscopy study of the dynamic evolution of particle size during solution-phase crystallization of urea. Cryst. Growth Design 3:67-72 (2003)

[23] McCLEMENTS, D. J. , POVEY, M. J. W. , JURY, M. and BETSANIS, E. . Ultrasonic characterization of a food emulsion. Ultrasonics 28:266-272 (1990)

参 考 文 献

- [1] SO 9276-1:1998 Representation of results of particle size analysis—Part 1: Graphical representation and Technical corrigendum Cor. 1:2004
- [2] ISO 14488 Particulate materials—Sampling and sample splitting for the determination of particulate properties
- [3] GB/T 20099 样品制备 粉末在液体中的分散方法(GB/T 20099—2006, ISO 14887:2000, IDT)
- [4] ISO 14887 Sample preparation—Dispersing procedures for powders in liquids
- [5] ISO 20998-2 Measurement and characterization of particles by acoustic methods—Part 2: Guidelines for linear theory
- [6] IEC 62127-1 Ultrasonics—Hydrophones—Part 1: Measurement and characterization of medical ultrasonic fields up to 40 MHz using hydrophones
- [7] DUKHIN, A. S. and GOETZ, P. J. Ultrasound for Characterizing Colloids. Particle Sizing. Zeta Potential, Rheology, Elsevier (2002)
- [8] POVEY, M. J. W. Ultrasonic Techniques for Fluid Characterization, Academic Press (1997)
- [9] McCLEMENTS, D. J. Ultrasonic Characterization of Emulsions and Suspensions. Adv. Colloid Int. Sci. ,37,33-72 (1991)
- [10] RIBEL, U. et al. The Fundamentals of Particle Size Analysis by Means of Ultrasonic Spectrometry. Part. Syst. Charact. , vol. 6, pp. 135-143, (1989)
- [11] BABICK, F. , HINZE, F. and RIPPERGER, S. . Dependence of Ultrasonic Attenuation on the Material Properties. Colloids and Surfaces, 172, 33-46 (2000)
- [12] EPSTEIN, P. S. and CARHART, R. R. . The Absorption of Sound in Suspensions and Emulsions. J. Acoust. Soc. Amer. , 25, 3, 553-565 (1953)
- [13] ALLEGRA J. R. and HAWLEY, S. A. . Attenuation of Sound in Suspensions and Emulsions; Theory and Experiments. J. Acoust. Soc. Amer. , 51, 1545-1564 (1972)
- [14] SCOTT, D. M. . Industrial applications of in-line ultrasonic spectroscopy. in Ultrasonic and Dielectric Characterization Techniques for Suspended Particulates, Ed. V. A. Hackley and J. Texter, Amer. Ceramic Soc. , Westerville, OH, pp. 155-165 (1998)
- [15] KAYE, G. W. C. and LABY, T. H. Tables of physical and chemical constants, 16th ed. Longman (1995)
- [16] FOLDY, L. L. . Propagation of sound through a liquid containing bubbles. OSRD Report No. 6. 1-sr1130-1378, (1944)
- [17] ANSON, L. W. and CHIVERS, R. C. . Thermal effects in the attenuation of ultrasound in dilute suspensions for low values of acoustic radius. Ultrasonics, 28, 16-25 (1990)
- [18] TAKEDA, S. and GOETZ, P. J. . Dispersed/flocculated size characterization of alumina particles in highly concentrated slurries by ultrasonic attenuation spectroscopy. Colloids Surface A 143:35-39 (1998)
- [19] STINTZ, M. , HINZE, F. and RIPPERGER, S. . Particle size characterization of inorganic colloids by ultrasonic attenuation spectroscopy. in Ultrasonic and Dielectric Characterization Techniques for Suspended Particulates, Ed. V. A. Hackley and J. Texter, Amer. Ceramic Soc. , pp. 219-229 (1998)

前 言

GB/T 29023《超声法颗粒测量与表征》分为以下3个部分：

——第1部分：超声衰减谱法的概念和过程；

——第2部分：线性理论准则；

——第3部分：非线性理论准则。

本部分为GB/T 29023的第1部分。

本部分按照GB/T 1.1—2009给出的规则起草。

本部分使用翻译法等同采用ISO 20998-1:2006《超声法颗粒测量与表征 第1部分：超声衰减谱法的概念和过程》。

本部分由全国颗粒表征与分检及筛网标准化技术委员会委员(SAC/TC 168)提出并归口。

本部分起草单位：上海理工大学、中机生产力促进中心。

本部分主要起草人：苏明旭、蔡小舒、余方、薛明华、韩晓林、沈嘉祺、呼剑、陈孝震。