

UDC

中华人民共和国行业标准

HG

P

HG 20580~20585—1998

钢制化工容器设计基础规定

Specification for Design Base of Steel Chemical Vessels

钢制化工容器材料选用规定

Specification for Materials Selected of Steel Chemical Vessels

钢制化工容器强度计算规定

Specification for Stress Calculation of Steel Chemical Vessels

钢制化工容器结构设计规定

Specification for Structural Design of Steel Chemical Vessels

钢制化工容器制造技术要求

Technical Requirements for Fabrication of Steel Chemical Vessels

钢制低温压力容器技术规定

Technical Specification for Steel Low Temperature Pressure Vessels

1998—11—18 发布

1999—03—01 实施

国家石油和化学工业局

发布

国家石油和化学工业局文件

国石化政发(1998)332号

关于批准《钢制化工容器设计基础规定》 等 13 项化工行业标准的通知

中国化工勘察设计协会：

根据原化学工业部建设协调司 1997 年计划安排，你单位组织制定的《钢制化工容器设计基础规定》等 13 项化工行业标准草案，业经我局批准，现予发布。标准名称、编号为：

强制性标准

序号	标准编号	标准名称
1	HG 20580—1998	钢制化工容器设计基础规定(代替 HGJ 14—89)
2	HG 20581—1998	钢制化工容器材料选用规定(代替 HGJ 15—89)
3	HG 20582—1998	钢制化工容器强度计算规定(代替 HGJ 16—89)
4	HG 20583—1998	钢制化工容器结构设计规定(代替 HGJ 17—89)
5	HG 20584—1998	钢制化工容器制造技术要求(代替 HGJ 18—89)
6	HG 20585—1998	钢制低温压力容器技术规定(代替 HGJ 19—89)
7	HG 20652—1998	塔器设计技术规定(废止 CD 130A4—85)

推荐性标准

序号	标准编号	标准名称
1	HG/T 21618—1998	丝网除沫器(代替 HG 5—1404~1406—81)
2	HG/T 20653—1998	化工企业化学水处理设计技术规定(代替 HGJ 11—88)
3	HG/T 20654—1998	化工企业化学水处理系统监测与控制设计条件技术规定 (废止 CD 100A19—89)
4	HG/T 20655—1998	化工企业锅炉装置及汽轮机组热工监测与控制设计条件技术规定 (废止 CD 100A18—89)
5	HG/T 21585.1—1998	可拆型槽盘气液分布器
6	HG/T 20656—1998	化工采暖通风与空气调节详细设计内容和深度的规定(废止 CD 70A1—82)

以上标准自 1999 年 3 月 1 日起实施。

国家石油和化学工业局
一九九八年十一月十八日

中国化工勘察设计协会

中化勘设协字〔1998〕037 号

关于委托编辑出版发行化工行业标准的通知

全国化工工程建设标准编辑中心：

国家石油和化学工业局关于批准《钢制化工容器设计基础规定》等 13 项化工行业标准的通知〔国石化政发(1998)332 号〕已批准我协会组织编制的 13 项化工行业标准(批件另附)。经研究,此 13 项化工行业标准委托你中心负责编辑出版发行工作。

中国化工勘察设计协会
一九九八年十一月二十日

根据国家石油和化学工业局“国石化政发(1998)332 号文”,HG 20580~20585-1998“钢制化工容器设计规定”行业标准于 1999 年 3 月 1 日起实施,代替原 HGJ 14~19-89。但由于国家质量技术监督局为 GB 150-89 和 GB 150-1998《钢制压力容器》设立了 1998 年 10 月 1 日至 1999 年 12 月 31 日的同时使用过渡期。据此,相应的行业标准亦需设立同时使用的过渡期。因此,在 1999 年 3 月 1 日至 1999 年 12 月 31 日的过渡期内,HG 20580~20585-1998 与 HGJ 14~19-89 同时有效。特此通知。