

QJ

中国航天工业总公司航天工业行业标准

QJ 2889. 1~ 2889. 17—97, QJ 2890—97








37° 导管连接件








1997—03—10 发布

1997—09—01 实施

中国航天工业总公司 发布

目 录

| 序 号 | 名 称 | 标 准 号 | 简 图 | 页 次 |
|-----|--------------------------------|--------------|--|-----|
| 1 | 37°导管连接件 直通接头型式与尺寸 | QJ 2889.1—97 |  | 1 |
| 2 | 37°导管连接件 异径直通接头型式与尺寸 | QJ 2889.2—97 |  | 3 |
| 3 | 37°导管连接件 锥形直通接头型式与尺寸 | QJ 2889.3—97 |  | 5 |
| 4 | 37°导管连接件 旋入直通接头型式与尺寸 | QJ 2889.4—97 |  | 7 |
| 5 | 37°导管连接件 焊接直通接头型式与尺寸 | QJ 2889.5—97 |  | 9 |
| 6 | 37°导管连接件 过壁直通接头型式与尺寸 | QJ 2889.6—97 |  | 11 |
| 7 | 37°导管连接件 压力表过渡直通接头型式 与尺寸 | QJ 2889.7—97 |  | 13 |

| 序 号 | 名 称 | 标 准 号 | 简 图 | 页 次 |
|-----|-------------------------|---------------|--|-----|
| 8 | 37°导管连接件 三通接头型式与尺寸 | QJ 2889.8—97 |  | 15 |
| 9 | 37°导管连接件 异径三通接头型式与尺寸 | QJ 2889.9—97 |  | 17 |
| 10 | 37°导管连接件 锥形三通接头型式与尺寸 | QJ 2889.10—97 |  | 19 |
| 11 | 37°导管连接件 四通接头型式与尺寸 | QJ 2889.11—97 |  | 21 |
| 12 | 37°导管连接件 过渡球头型式与尺寸 | QJ 2889.12—97 |  | 23 |
| 13 | 37°导管连接件 外套螺母型式与尺寸 | QJ 2889.13—97 |  | 27 |
| 14 | 37°导管连接件 球头型式与尺寸 | QJ 2889.14—97 |  | 29 |