

# QJ

中国航天工业总公司航天工业行业标准

QJ 2889.1~2889.17-97, QJ 2890-97

---

## 37° 导管连接件








1997—03—10 发布








1997—09—01 实施

---

中国航天工业总公司 发布

# 目 录

| 序 号 | 名 称                            | 标 准 号        | 简 图  | 页 次 |
|-----|--------------------------------|--------------|--|-----|
| 1   | 37°导管连接件<br>直通接头型式与尺寸          | QJ 2889.1—97 |    | 1   |
| 2   | 37°导管连接件<br>异径直通接头型式与尺寸        | QJ 2889.2—97 |    | 3   |
| 3   | 37°导管连接件<br>锥形直通接头型式与尺寸        | QJ 2889.3—97 |    | 5   |
| 4   | 37°导管连接件<br>旋入直通接头型式与尺寸        | QJ 2889.4—97 |  | 7   |
| 5   | 37°导管连接件<br>焊接直通接头型式与尺寸        | QJ 2889.5—97 |  | 9   |
| 6   | 37°导管连接件<br>过壁直通接头型式与尺寸        | QJ 2889.6—97 |  | 11  |
| 7   | 37°导管连接件<br>压力表过渡直通接头型式<br>与尺寸 | QJ 2889.7—97 |  | 13  |

| 序 号 | 名 称                     | 标 准 号         | 简 图  | 页 次 |
|-----|-------------------------|---------------|--|-----|
| 8   | 37°导管连接件<br>三通接头型式与尺寸   | QJ 2889.8—97  |    | 15  |
| 9   | 37°导管连接件<br>异径三通接头型式与尺寸 | QJ 2889.9—97  |    | 17  |
| 10  | 37°导管连接件<br>锥形三通接头型式与尺寸 | QJ 2889.10—97 |    | 19  |
| 11  | 37°导管连接件<br>四通接头型式与尺寸   | QJ 2889.11—97 |   | 21  |
| 12  | 37°导管连接件<br>过渡球头型式与尺寸   | QJ 2889.12—97 |  | 23  |
| 13  | 37°导管连接件<br>外套螺母型式与尺寸   | QJ 2889.13—97 |  | 27  |
| 14  | 37°导管连接件<br>球头型式与尺寸     | QJ 2889.14—97 |  | 29  |