

**Acoustics —
Determination of sound power
levels of noise sources using
sound pressure —**

**Survey method using an
enveloping measurement
surface over a reflecting plane**

The European Standard EN ISO 3746 : 1995 has the status of a
British Standard

ICS 17.140.10

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee EH/1, Acoustics, upon which the following bodies were represented:

Association of Consulting Engineers
British Broadcasting Corporation
British Occupational Hygiene Society
British Telecommunications plc
Department of the Environment (Building Research Establishment)
Department of Health
Department of Trade and Industry (National Physical Laboratory)
Health and Safety Executive
Institute of Acoustics
Institute of Occupational Hygienists
Institute of Sound and Vibration Research
Institution of Electrical Engineers
Royal Institute of British Architects
Society of Environmental Engineers

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

Advanced Manufacturing Technology Research Institute
Agricultural Engineers Association
British Cement Association
British Compressed Air Society
British Industrial Truck Association
British Iron and Steel Producers Association
Construction Industry Research and Information Association
Department of Trade and Industry (National Engineering Laboratory)
Engineering Industries Association
Fan Manufacturers Association
Federation of the Electronics Industry
Federation of Manufacturers of Construction Equipment and Cranes
Federation of Piling Specialists
Hevac Association
Institution of Engineering Designers
Institution of Mechanical Engineers
National Specialist Contractors Council
Rotating Electrical Machines Association
University of Liverpool
University of Manchester

This British Standard, having been prepared under the direction of the Health and Environment Sector Board, was published under the authority of the Standards Board and comes into effect on 15 November 1996

© BSI 1996

Amendments issued since publication

Amd. No.	Date	Text affected

The following BSI references relate to the work on this standard:
Committee reference EH/1
Draft for comment 92/58826 DC

ISBN 0 580 26086 0

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Introduction	3
Method	
1 Scope	5
2 Normative references	7
3 Definitions	7
4 Acoustic environment	8
5 Instrumentation	9
6 Installation and operation of source under test	9
7 Measurement of sound pressure levels	11
8 Calculation of A-weighted surface sound pressure level and A-weighted sound power level	14
9 Information to be recorded	16
10 Information to be reported	17
Annexes	
A (normative) Qualification procedures for the acoustic environment	18
B (normative) Microphone array on the hemispherical measurement surface	21
C (normative) Microphone array on the parallelepiped measurement surface	25
D (informative) Guidelines for the detection of impulsive noise	30
E (informative) Bibliography	31
Tables	
0.1 Overview of International Standards for determination of sound power levels of noise sources using enveloping surface methods over a reflecting plane and giving different grades of accuracy	4
1 Estimated upper values of the standard deviations of reproducibility of A-weighted sound power levels determined in accordance with this International Standard	6
A.1 Approximate values of the mean sound absorption coefficient α	20
B.1 Coordinates of key microphone positions (4, 5, 6, 10) and additional microphone positions (14, 15, 16, 20)	21
B.2 Coordinates of microphone positions (4, 5, 6, 10) for sources emitting discrete tones	21
Figures	
1 Examples illustrating reference boxes and characteristic source dimensions d_0 with respect to the origin of the coordinate system Q	12
A.1 Environmental correction K_{2A} , in decibels	19
B.1 Microphone array on the hemisphere — key microphone positions	22
B.2 Microphone array on the hemisphere	23
B.3 Plan view of a spherical measurement surface and microphone positions around a reference box adjacent to two reflecting planes	24
C.1 Procedure for fixing the specified microphone positions where a side of the measurement surface exceeds $3d$	25
C.2 Example of a measurement surface and microphone positions for a small machine	26
C.3 Example of a measurement surface and microphone positions for a tall machine with a small base area	26
C.4 Example of a measurement surface and microphone positions for a long machine	27
C.5 Example of a measurement surface and microphone positions for a medium-sized machine	27
C.6 Example of a measurement surface and microphone positions for a large machine	28
C.7 Measurement surface (parallelepiped) with four microphone positions for floor-standing appliances placed against a wall	28
C.8 Measurement surface (parallelepiped) with three microphone positions for floor-standing appliances placed against two walls	29