

---

---

**Corrosion of metals and alloys —  
Guidelines for assessing the  
significance of stress corrosion cracks  
detected in service**

*Corrosion des métaux et alliages — Lignes directrices pour évaluer  
l'importance des fissures de corrosion sous contrainte détectées en  
service*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Principle</b> .....	<b>1</b>
<b>4 Characterization of the nature and origin of the crack</b> .....	<b>2</b>
<b>5 Definition of service conditions and system history</b> .....	<b>2</b>
5.1 Stresses.....	2
5.2 Service environment.....	3
<b>6 Material characteristics</b> .....	<b>4</b>
6.1 Cold work.....	4
6.2 Welding.....	4
6.3 Ageing.....	5
6.4 Microstructural orientation.....	5
<b>7 Prediction of <math>K_{ISCC}</math> and crack growth rates</b> .....	<b>5</b>
7.1 $K_{ISCC}$ .....	6
7.2 Prediction of growth rates below $K_{ISCC}$ .....	9
7.3 Crack growth above $K_{ISCC}$ .....	10
7.4 Non-propagating cracks.....	15
7.5 Probabilistic issues.....	15
<b>8 Structural integrity assessment</b> .....	<b>15</b>
<b>9 Modification of service conditions to mitigate crack growth</b> .....	<b>17</b>
9.1 Temperature change.....	17
9.2 Reduction of operational stresses.....	18
9.3 Alteration/more rigorous control of the environment.....	18
<b>Bibliography</b> .....	<b>19</b>