Sampling procedures for inspection by attributes —

Part 3: Skip-lot sampling procedures

ICS 03.120.30



### National foreword

This British Standard reproduces verbatim ISO 2859-3:2005 and implements it as the UK national standard. It supersedes BS 6001-3:1993 which is withdrawn

The UK participation in its preparation was entrusted to Technical Committee SS/5, Acceptance sampling schemes, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

#### Cross-references

The British Standards which implement international publications referred to in this document may be found in the *BSI Catalogue* under the section entitled "International Standards Correspondence Index", or by using the "Search" facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

#### Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii to iv, pages 1 to 29 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

#### Amendments issued since publication

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 23 June 2005

<b>©</b>	BSI	23	June	2005

Amd. No.	Date	Comments	
-			

ISO 2859-3:2005

# INTERNATIONAL STANDARD

ISO 2859-3

Second edition 2005-05-01

## Sampling procedures for inspection by attributes —

Part 3:

Skip-lot sampling procedures

Règles d'échantillonnage pour les contrôles par attributs — Partie 3: Procédures d'échantillonnage successif partiel

