Measurement of fluid flow in closed conduits — Methods using transit-time ultrasonic flowmeters

ICS 17.120.10



National foreword

This British Standard reproduces verbatim ISO/TR 12765:1998 and implements it as the UK national standard.

The UK participation in its preparation was entrusted by Technical Committee CPI/30, Measurement of fluid flow in closed conduits, to Subcommittee CPI/30/5, Velocity based methods, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed:
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not <u>purport to include all</u> the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

Amendments issued since publication

This document comprises a front cover, an inside front cover, the ISO/TR title page, pages ii and iii, a blank page, pages 1 to 43 and a back cover.

© BSI 03-1999

ISBN 058029384X

Amd. No.	Date	Text affected
	-	

TECHNICAL REPORT

ISO/TR 12765

First edition 1998-12-15

Measurement of fluid flow in closed conduits — Methods using transit-time ultrasonic flowmeters

Mesure de débit des fluides dans les conduites fermées — Méthodes utilisant des débitmètres à ultrasons à temps de transit

