BS 1133 :

Subsection 10.2 : 1991

Packaging code

Section 10. Metal containers

Subsection 10.2 Metal drums

Code d'emballage Section 10. Récipients métalliques Sous-section 10.2 Fûts métalliques

Verpackung Abschnitt 10. Metallbehälter Unterabschnitt 10.2 Metalltrommelbehälter



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Packaging and Freight Containers Standards Policy Committee (PKM/-) to Technical Committee PKM/503, upon which the following bodies were represented:

Association of Drum Manufacturers
British Glass Manufacturers' Confederation
British Paper and Board Industry Federation
Department of Trade and Industry (Laboratory of the Government Chemist)
Metal Packaging Manufacturers' Association
Ministry of Defence
PIRA
Pressed Felt Manufacturers' Association
Process Plant Association

This British Standard, having been prepared under the direction of the Packaging and Freight Containers Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 28 February 1991

© BSI 1991

First published, as BS 1133: Section 10, December 1943 Second edition February 1953 Third edition December 1966 Fourth edition, as BS 1133: Section 10: Subsection 10.2 28 February 1991

The following BSI references relate to the work on this standard:
Committee reference PKM/503
Draft for comment 87/40877 DC

ISBN 0 580 18569 9

Amendments issued since publication

Timber Packaging and Pallet Confederation

A 1 N7	TD.	m	
Amd. No.	Date	Text affected	

Contents

		Page
Cor	mmittees responsible Inside front of	cover
For	eword	2
Gui	ide	
1	Scope	3
2	Definitions	3
3	General	3
4	Materials	3
5	Constructional features	3
6	Closures	3
7	Internal treatment and linings	4
8	Exterior finish	4
9	Drum types	10
Fig	ures	
1	Typical drum end seams	4
2	Typical drum side seams	4
3	Typical drum rolling hoops	5
4	Welded drum-end bands and chimb reinforcements	5
5	Typical tinplate drum closure fittings	6
6	Typical plastics plug-in closure with extension spout	7
7	Typical screw bung closures for drums	8
8	Typical lid closures for drums	9
9	25 L type A drum with reduced top, 50 mm presscap neck and crank handle	10
10	25 L type A drum with interrupted chimb and 76 mm neck, plug and capseal	10
11	50 L type A drum with reduced top and crank handle, 50 mm bung in head and 19 mm bung in body	10
12	110 L to 210 L type A drum with pressed out rolling hoops and corrugations, 50 mm bung in body and 19 mm bung in head	11
13	110 L to 210 L type A drum with corrugated body and 178 mm wheel-on lid in head	11
14	210 L type A drum with 50 mm and 19 mm bungs in head, shallow pressed out rolling hoops and convex ends	12
15	All-welded type B drum with external and internal convex chimb bands and I section hoops	12
16	Open-top, full aperture type C drum with bend-over clips attached to body; crank handle; bottom reduced	13
17	Open-top, full aperture type C drum with pressed out bead, sealing gasket and closing ring, and wire drop handle; bottom reduced	14
18	Open-top, full aperture type C drum with pressed out bead, multi-lug pail closure and bale handle; bottom reduced	14
19	Open-top, full aperture type C drum with pressed out beads, sealing gasket and example of lever action closing	15
20	Open-top, full aperture type C drum with bend-over clips attached to head, and strap handle	15
21	Square and rectangular section type D drums	16