INTERNATIONAL STANDARD

ISO 21013-3

First edition 2006-01-01

Cryogenic vessels — Pressure-relief accessories for cryogenic service —

Part 3: Sizing and capacity determination

Récipients cryogéniques — Dispositifs de sécurité pour le service cryogénique —

Partie 3: Détermination de la taille et du volume



Reference number ISO 21013-3:2006(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page Forewordiv Scope 1 2 Calculation of the total quantity of heat transferred per unit time from the hot wall 3 3.1 3.2 3.3 Under fire conditions 4 Calculation of the mass flow $Q_{\rm m}$ to be relieved by the pressure-relief devices....... 5 4 5 6 6.1 6.2

6.3