

**BRITISH STANDARD**

**Visual  $\square_{A_1}$  strength  $\square_{A_1}$   
grading of hardwood –  
Specification**

ICS 79.040

**BSi**  
British Standards



---

Cert no. SW-COC-004238  
www.fsc.org  
© 1996 Forest Stewardship Council

### **Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2011

ISBN 978 0 580 73680 3

The following BSI references relate to the work on this standard:

Committee reference B/518

Draft for comment 06/30148363 11/30238044 DC

### **Publication history**

First published 1980

Second edition, 1997

Third (present) edition, 2007

### **Amendments issued since publication**

<b>Amd. no.</b>	<b>Date</b>	<b>Text affected</b>
A1	December 2011	See foreword

# Contents

Foreword *ii*

<b>1</b>	Scope	<i>1</i>
<b>2</b>	Normative references	<i>1</i>
<b>3</b>	Terms and definitions	<i>2</i>
<b>4</b>	Strength graded timber	<i>2</i>
<b>5</b>	Grade requirements	<i>4</i>
<b>6</b>	<i>Deleted</i>	
<b>7</b>	Measurement of characteristics	<i>5</i>
<b>8</b>	Marking	<i>12</i>

## **Annexes**

Annex A (normative) The control and supervision of visual strength grading operations *14*

## **List of figures**

Figure 1 – Knots	<i>6</i>
Figure 2 – Measurement of bow, spring and twist	<i>11</i>
Figure 3 – Wane	<i>11</i>
Figure 4 – Example of a mark on visually strength graded hardwood	<i>13</i>

## **List of tables**

Table 1 – Permissible limits for Structural Tropical Hardwood (HS) visual strength grades (see Clause 5)	<i>8</i>
Table 2 – Permissible limits for General Structural Temperate Hardwood (TH1 and TH2) visual strength grades (see Clause 5.2)	<i>9</i>
Table 3 – Permissible limits for Heavy Structural Temperate Hardwood (THA and THB) visual strength grades (see Clause 5.2)	<i>10</i>

## **Summary of pages**

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 14, an inside back cover and a back cover.