METRIC MIL-PRF-89039 AMENDMENT 2 27 June 2001 SUPERSEDING INT. AMENDMENT 1(NIMA) 28 September 1999

## PERFORMANCE SPECIFICATION

## VECTOR SMART MAP (VMAP) Level 0

This amendment forms part of MIL-PRF-89039, dated 9 February 1995, and is approved for use by all Departments and Agencies of the Department of Defense.

The attached insertable replacement pages listed below are replacements for the stipulated pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Replacement page

#### Page replaced

3 4 75	Reprinted without change 4 75
75	76
77	77
78	78
79	79
80	80
87	87
88	88
89	89
90	90
91	91

### AMSC N/A

AREA MCGT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

## MIL-PRF-89039 AMENDMENT 2

Replacement page	Page replaced		
92	92		
95	95		
96	96		
97	97		
98	98		
99	99		
100	100		
101	101		
102	102		
103	103		
104	104		
105	105		
105a	New page		
105b	New page		
106	Reprinted	without	change
125	125		
126	Reprinted	without	change
127	Reprinted	without	change
128	128		
129	129		
130	Reprinted		-
131	Reprinted	without	change
132	132		
133	133		
134	Reprinted	without	change
211	211		
212	212		
213	213		
214	Reprinted	without	change

# PAGE 1

Title: Delete "VECTOR SMART MAP (VMap) Level 0" and substitute "VECTOR MAP (VMap) Level 0"

1.1: Delete "U.S. Defense Mapping Agency (DMA) VECTOR SMART MAP (VMap) Level 0" and substitute "National Imagery and Mapping Agency's (NIMA) VECTOR MAP (VMap) Level 0"

Beneficial comments box: Change address for sending comments to "Director, National Imagery and Mapping Agency, ATTN:Doctrine and Force Development Office/DF, Mail Stop P-37, 4600 Sangamore Road, Bethesda, MD 20816-5003."

2

### PAGE 2

2.1.1: Delete "Vector Product Format, 1993" and substitute "Vector Product Format, 28 June 1996"

Delete: "MIL-STD-600010 DMA Stock Number Bar Coding" and substitute "MIL-STD-2414 Bar Coding for Mapping, Charting, and Geodesy Products"

2.1.2: Delete "DMA SPECIFICATIONS"

Add: "(Copies of the aforementioned publications are available from the National Imagery and Mapping Agency, Interoperability Standards Division (SES), Mail Stop P-24, 12310 Sunrise Valley Drive, Reston, VA 20191-3449.)" immediately below "Digital Geographic Information Exchange Standard" reference.

Delete: "DMA Technical Manual (DMA TM) 8350.2 Department of Defense World Geodetic System 1984. (Stock Number DMATR 8350 WGS 84)" and substitute "NIMA Technical Report (NIMATR) 8350.2 Department of Defense World Geodetic System"

Delete: "(These publications are available from DMA by writing to: Defense Mapping Agency, Combat Support Center, ATTN: DDCP, 6001 MacArthur Blvd., Bethesda, MD 20816-5001.)" and substitute "(Copies of the aforementioned publications are available from the Defense Logistics Agency)"

## PAGE 6

3.9: Delete "The horizontal resolution for geographic coordinates shall be stored to the equivalent precision of 0.1 arc-seconds or 0.00002 decimal degrees."

#### PAGE 21

Table 15: Add "cnx" to list of File Names and "connected node variable-length index file" to list of Table Descriptions, immediately following the entries for csi and connected node spatial index file respectively.

## PAGE 22

Table 17: Change the definition of first\_edge from "I,1,N" to "I/K<sup>2</sup>,1,N".