

First edition  
2013-03-15

Corrected version  
2013-05-01

---

---

**Microbiology of food and animal feed —  
Horizontal method for determination  
of hepatitis A virus and norovirus in  
food using real-time RT-PCR —**

Part 2:  
**Method for qualitative detection**

*Microbiologie des aliments — Méthode horizontale pour la recherche  
des virus de l'hépatite A et norovirus dans les aliments par la  
technique RT-PCR en temps réel —*

*Partie 2: Méthode de détection qualitative*



Reference number  
ISO/TS 15216-2:2013(E)

© ISO 2013



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>vii</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>3</b>
4.1 Virus extraction.....	3
4.2 RNA extraction.....	3
4.3 Real-time reverse transcription polymerase chain reaction (real-time RT-PCR).....	3
4.4 Control materials.....	4
4.5 Test results.....	4
<b>5 Reagents</b> .....	<b>4</b>
5.1 General.....	4
5.2 Reagents used as supplied.....	4
5.3 Prepared reagents.....	6
<b>6 Apparatus and materials</b> .....	<b>6</b>
<b>7 Sampling</b> .....	<b>8</b>
<b>8 Procedure</b> .....	<b>8</b>
8.1 General laboratory requirements.....	8
8.2 Virus extraction.....	8
8.3 RNA extraction.....	10
8.4 Real-time RT-PCR.....	10
<b>9 Interpretation of results</b> .....	<b>12</b>
9.1 General.....	12
9.2 Construction of process control virus RNA standard curve.....	12
9.3 Control for amplification efficiency.....	12
9.4 Calculation of extraction efficiency.....	13
9.5 Theoretical limit of detection.....	13
<b>10 Expression of results</b> .....	<b>13</b>
<b>11 Test report</b> .....	<b>14</b>
<b>Annex A (normative) Diagram of procedure</b> .....	<b>15</b>
<b>Annex B (informative) Real-time RT-PCR mastermixes and cycling parameters</b> .....	<b>16</b>
<b>Annex C (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)</b> .....	<b>17</b>
<b>Annex D (informative) Growth of mengo virus strain MC<sub>0</sub> for use as a process control</b> .....	<b>19</b>
<b>Annex E (informative) RNA extraction using the BioMerieux NucliSens® system</b> .....	<b>20</b>
<b>Annex F (normative) Composition and preparation of reagents and buffers</b> .....	<b>22</b>
<b>Annex G (informative) Generation of external control RNA (EC RNA) stocks</b> .....	<b>24</b>
<b>Annex H (informative) Typical optical plate layout</b> .....	<b>26</b>
<b>Bibliography</b> .....	<b>27</b>