INTERNATIONAL STANDARD

ISO 5982

Second edition 2001-11-01

Mechanical vibration and shock — Range of idealized values to characterize seated-body biodynamic response under vertical vibration

Vibrations et chocs mécaniques — Enveloppes de valeurs probables caractérisant la réponse biodynamique d'individus assis soumis à des vibrations verticales



Reference number ISO 5982:2001(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Cont	ents	Page
Forewo	ord	iv
Introduction		v
1	Scope	1
2	Normative reference	1
3	Terms and definitions	2
4	Driving-point mechanical impedance and apparent mass of the seated body under vertical vibration	3
4.1 4.2	Definition of values of driving-point mechanical impedance and apparent mass Applicability of values of driving-point mechanical impedance and apparent mass	3
5 5.1 5.2	Seat-to-head transmissibility of the seated human body under vertical vibration Definition of values of seat-to-head transmissibility	8
6 6.1 6.2	Applications Model of the seated human body Computation of biodynamic response functions for fixed body masses	11
Annex	A (informative) Identification of the data used to define the range of idealized driving-point mechanical impedance/apparent mass and seat-to-head transmissibility data	12
Annex	B (informative) Model	15
Annex	C (informative) Mathematical expressions for the mean (target) biodynamic response functions	s19
	D (informative) Model computed values of response functions for fixed body masses	
Bibliog	graphy	27