

---

---

**Plastics — Reaction to fire — Test  
method for flame spread and combustion  
product release from vertically oriented  
specimens**

*Plastiques — Réaction au feu — Méthode d'essai de propagation de  
flamme et de dégagement de produits de combustion à partir  
d'éprouvettes orientées verticalement*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	iv
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>2</b> <b>Normative references</b> .....	<b>1</b>
<b>3</b> <b>Terms and definitions</b> .....	<b>2</b>
<b>4</b> <b>Symbols</b> .....	<b>3</b>
<b>5</b> <b>General principles</b> .....	<b>3</b>
<b>6</b> <b>Test apparatus</b> .....	<b>4</b>
<b>7</b> <b>Test specimen</b> .....	<b>13</b>
<b>7.1</b> <b>Surface characteristics</b> .....	<b>13</b>
<b>7.2</b> <b>Exposed surface</b> .....	<b>13</b>
<b>7.3</b> <b>Number and size of specimen</b> .....	<b>13</b>
<b>7.4</b> <b>Construction of specimen</b> .....	<b>14</b>
<b>7.5</b> <b>Conditioning of specimens</b> .....	<b>14</b>
<b>7.6</b> <b>Preparation</b> .....	<b>14</b>
<b>8</b> <b>Test environment</b> .....	<b>16</b>
<b>9</b> <b>Calibration</b> .....	<b>16</b>
<b>9.1</b> <b>Preliminary calibration</b> .....	<b>16</b>
<b>9.2</b> <b>Operating calibrations</b> .....	<b>17</b>
<b>9.3</b> <b>Less frequent calibrations</b> .....	<b>18</b>
<b>10</b> <b>Test procedure</b> .....	<b>19</b>
<b>10.1</b> <b>Warning</b> .....	<b>19</b>
<b>10.2</b> <b>Initial preparation</b> .....	<b>19</b>
<b>10.3</b> <b>Procedure</b> .....	<b>20</b>
<b>11</b> <b>Calculation</b> .....	<b>21</b>
<b>11.1</b> <b>Calibration constant for oxygen consumption analysis</b> .....	<b>21</b>
<b>11.2</b> <b>Heat release rate</b> .....	<b>21</b>
<b>11.3</b> <b>Exhaust duct flow rate</b> .....	<b>22</b>
<b>11.4</b> <b>Smoke production rate (SPR)</b> .....	<b>22</b>
<b>12</b> <b>Test report</b> .....	<b>23</b>
<b>Annex A</b> (normative) <b>Additional calculations</b> .....	<b>24</b>
<b>Annex B</b> (informative) <b>Simplified version of the apparatus</b> .....	<b>26</b>
<b>Annex C</b> (informative) <b>Repeatability of the test method</b> .....	<b>28</b>
<b>Annex D</b> (informative) <b>Calibration of the working heat flux meter</b> .....	<b>32</b>
<b>Bibliography</b> .....	<b>33</b>