INTERNATIONAL STANDARD

ISO 4628-6

> First edition 1990-12-15

ANSI Internat Doc Sec

Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect —

Part 6:

Rating of degree of chalking by tape method

Peintures et vernis — Évaluation de la dégradation des surfaces peintes — Désignation de l'intensité, de la quantité et de la dimension des types courants de défauts —

Partie 6: Cotation du degré de farinage par la méthode du ruban adhésif

"The American National Standards Institute (ANSI) is the primary source and official sales agent for ISO standards in the United States. ANSI was granted an exclusive license to distribute and sell ISO standards, technical reports, drafts and other priced publications within the U.S.A. Under this license agreement ISO has granted to ANSI the right to reproduce ISO standards and drafts within the territories of the United States".



Reference number ISO 4628-6:1990(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 4628-6 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*.

ISO 4628 consists of the following parts, under the general title Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect:

- Part 1: General principles and rating schemes
- Part 2: Designation of degree of blistering
- Part 3: Designation of degree of rusting
- Part 4: Designation of degree of cracking
- Part 5: Designation of degree of flaking
- Part 6: Rating of degree of chalking by tape method

© ISO 1990

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

ii

Introduction

This International Standard is one of a series of standards dealing with the sampling and testing of paints, varnishes and related products.

ISO 4628-1 defines a system for designating the quantity and size of common types of defects of paint coatings and outlines the basic principles of the rating system, in particular with respect to the defects caused by ageing and weathering.

Parts 2 to 6 of ISO 4628 provide auxiliary pictorial and other reference scales for rating particular types of defect. As far as possible, these scales are based on existing, well established schemes.

iii