

INTERNATIONAL
STANDARD

ISO
2107

Third edition
2007-02-01

**Aluminium and aluminium alloys —
Wrought products — Temper
designations**

*Aluminium et alliages d'aluminium — Produits corroyés — Désignation
des états métallurgiques*



Reference number
ISO 2107:2007(E)

© ISO 2007

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope	1
2 Terms and definitions.....	1
3 Basis of codification.....	2
4 Basic temper designations	2
4.1 F — as fabricated	2
4.2 O — annealed	2
4.3 H — strain-hardened.....	2
4.4 W — solution heat-treated	2
4.5 T — thermally treated to produce stable tempers other than F, O or H.....	3
5 Subdivisions of O temper designations	3
5.1 O1 — high-temperature annealed and slow cooled	3
5.2 O2 — thermo-mechanically processed	3
5.3 O3 — homogenized	3
6 Subdivisions of H temper designations	3
6.1 General.....	3
6.2 First digit after H	3
6.3 Second digit after H	4
6.4 Third digit after H	5
6.5 Other digits after H	5
7 Subdivisions of T temper designations.....	5
7.1 First digits (numerals 1 to 10) after T.....	5
7.2 Additional digits added to designations T1 to T10	7
7.3 Assigned additional digits for stress-relieved T tempers	7
7.4 Assigned additional digits for stress-relieved W tempers	8
7.5 Assigned additional digits for variations of T7 type tempers	8
Annex A (informative) Demonstration of response to heat treatment.....	9