

BS 7657:2010



BSI Standards Publication

Specification for cut-out assemblies up to 100 A rating, for power supply to buildings

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide[™]



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2010

ISBN 978 0 580 62875 7

ICS 29.120.50, 91.140.50

The following BSI references relate to the work on this standard:

Committee reference PEL/17

Draft for comment 09/30181298 DC

Publication history

First published July 1993

Second (present) edition, February 2010

Amendments issued since publication

Date	Text affected
-------------	----------------------

Contents

Foreword *iii*

1	Scope and references	1
2	Terms and definitions	2
3	Classification	4
4	Characteristics	5
5	Product information	7
6	Normal service and mounting conditions	7
7	Constructional and performance requirements	8
8	Tests	15

Annexes

Annex A (informative) Guide to the uninterrupted rated current of fuses under various conditions of installation 28

Bibliography 29

List of figures

Figure 1 – Pillar terminal with direct pressure 10

Figure 2 – Apparatus for impact test 19

Figure 3 – Mechanical tests on security sealing lugs 20

List of tables

Table 1 – Maximum temperature-rise at rated current 14

Table 2 – Peak test current 15

Table 3 – Type tests 16

Table 4 – Test values for terminal pull tests 21

Table 5 – Values of overload test current 25

Table A.1 – Examples of derating for typical installation methods 28

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 30, an inside back cover and a back cover.