

First edition
2000-06-15

**Information technology — 12,7 mm
128-track magnetic tape cartridge for
information interchange — Parallel
serpentine format**

*Technologies de l'information — Cartouches de bande magnétique de
12,7 mm, 128 pistes pour l'échange d'information — Format serpentant
parallèle*

Reference number
ISO/IEC 17913:2000(E)



© ISO/IEC 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

Section 1 - General	1
1 Scope	1
2 Conformance	1
2.1 Magnetic tape cartridge	1
2.2 Generating system	1
2.3 Receiving system	1
3 Normative references	1
4 Definitions	1
4.1 algorithm	1
4.2 anhysteretic erase	1
4.3 average signal amplitude	2
4.4 azimuth	2
4.5 back surface	2
4.6 beginning of partition (BOP)	2
4.7 beginning of tape (BOT)	2
4.8 cartridge	2
4.9 cyclic redundancy check (CRC) character	2
4.10 end of tape (EOT)	2
4.11 error-correcting code (ECC)	2
4.12 error-detecting code (EDC)	2
4.13 File Mark	2
4.14 flux transition position	2
4.15 flux transition spacing	2
4.16 half-wrap	2
4.17 logical block	2
4.18 logical forward	2
4.19 logical reverse	2
4.20 magnetic tape	2
4.21 mark tach count	2
4.22 Master Standard Reference Tape	2
4.23 physical recording density	2
4.24 pre-record condition	2
4.25 recorded element	2
4.26 Reference Field	2
4.27 resync character	2
4.28 SDM set	2
4.29 Secondary Standard Reference Tape (SSRT)	2
4.30 servo track	3
4.31 Standard Reference Amplitude (SRA)	3
4.32 Standard Reference Current (I_r)	3
4.33 Test Recording Current (I_m)	3
4.34 track	3
4.35 track group	3
4.36 trailer	3
4.37 Typical Field	3
4.38 write equalisation	3