
International Standard



8462/2

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

**Information processing — Data interchange on 6,30 mm
(0.25 in) magnetic tape cartridge using GCR recording at
394 ftpmm (10 000 ftpi), 39 cpm (1 000 cpi) —
Part 2 : Streaming mode**

First edition — 1986-02-01

UDC 681.327.64

Ref. No. ISO 8462/2-1986 (E)

Descriptors : data processing, information interchange, magnetic tapes, 6,3 mm magnetic tapes, cassettes for magnetic tapes, recording tracks, magnetic recording, representation of characters, track formats.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8462/2 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

Contents

	Page
1 Scope and field of application	1
2 Conformance	1
3 References	1
4 Hexadecimal notation	1
5 Reference plane	2
6 Track geometry	2
6.1 Track location	2
6.2 Number of tracks	2
6.2.1 4-track format	2
6.2.2 9-track format	2
6.3 Track width	2
7 Recording	2
7.1 Method of recording	2
7.2 Physical recording densities	2
7.3 Average bit cell length variation	2
7.3.1 Average bit cell length	2
7.3.2 Long-term average bit cell length	2
7.3.3 Short-term average bit cell length	2
7.4 Flux transition spacing	2
7.4.1 Instantaneous flux transition spacing	2
7.4.2 Rate of change of average flux transition spacing	2
7.5 Signal amplitude of a recorded cartridge for data interchange	5
7.5.1 Average signal amplitude at nominal maximum density	5
7.5.2 Minimum signal amplitude	5
7.5.3 Maximum signal amplitude	5