

---

---

**Information technology — Data interchange  
on 300 mm optical disk cartridges of type  
WORM (Write Once Read Many) using  
irreversible effects — Capacity: 30 Gbytes  
per cartridge**

*Technologies de l'information — Échange de données sur cartouches de  
disque optique de 300 mm de type WORM (écriture unique et lectures  
multiples) avec effets irréversibles — Capacité: 30 Gbytes par cartouche*

---

---

Reference number  
ISO/IEC 20162:2001(E)



© ISO/IEC 2001

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

<b>Contents</b>		<b>Page</b>
<b>Section 1 — General</b>		<b>1</b>
<b>1</b>	Scope	<b>1</b>
<b>2</b>	Conformance	<b>1</b>
<b>2.1</b>	Optical Disk Cartridge (ODC)	<b>1</b>
<b>2.2</b>	Generating System	<b>1</b>
<b>2.3</b>	Receiving System	<b>1</b>
<b>2.4</b>	Compatibility statement	<b>1</b>
<b>3</b>	Normative references	<b>1</b>
<b>4</b>	Terms and definitions	<b>1</b>
<b>4.1</b>	case	<b>1</b>
<b>4.2</b>	Clamping Reference Area	<b>1</b>
<b>4.3</b>	Clamping Zone	<b>2</b>
<b>4.4</b>	Cyclic Redundancy Check (CRC)	<b>2</b>
<b>4.5</b>	Data Zone	<b>2</b>
<b>4.6</b>	defect management	<b>2</b>
<b>4.7</b>	Disk Reference Plane	<b>2</b>
<b>4.8</b>	entrance surface	<b>2</b>
<b>4.9</b>	Error Correction Code (ECC)	<b>2</b>
<b>4.10</b>	format	<b>2</b>
<b>4.11</b>	hub	<b>2</b>
<b>4.12</b>	interleaving	<b>2</b>
<b>4.13</b>	Logical Sector	<b>2</b>
<b>4.14</b>	Logical Block Address	<b>2</b>
<b>4.15</b>	mark	<b>2</b>
<b>4.16</b>	mark edge	<b>2</b>
<b>4.17</b>	mark edge recording	<b>2</b>
<b>4.18</b>	optical disk	<b>2</b>
<b>4.19</b>	optical disk cartridge (ODC)	<b>2</b>
<b>4.20</b>	polarization	<b>2</b>
<b>4.21</b>	prerecorded mark	<b>2</b>
<b>4.22</b>	read power	<b>2</b>
<b>4.23</b>	recording layer	<b>2</b>
<b>4.24</b>	Reed-Solomon code	<b>2</b>
<b>4.25</b>	space	<b>2</b>
<b>4.26</b>	spindle	<b>2</b>
<b>4.27</b>	substrate	<b>2</b>
<b>4.28</b>	track	<b>2</b>
<b>4.29</b>	track pitch	<b>2</b>
<b>4.30</b>	write-inhibit hole	<b>2</b>
<b>5</b>	Conventions and notations	<b>2</b>
<b>5.1</b>	Representation of numbers	<b>2</b>
<b>5.2</b>	Names	<b>3</b>
<b>6</b>	List of acronyms	<b>3</b>
<b>7</b>	General description of the optical disk cartridge	<b>3</b>
<b>8</b>	General requirements	<b>3</b>
<b>8.1</b>	Environments	<b>3</b>
<b>8.1.1</b>	Test environment	<b>3</b>
<b>8.1.2</b>	Operating environment	<b>4</b>