
**Information technology — Procedures for
achieving metadata registry content
consistency —**

**Part 3:
Value domains**

*Technologies de l'information — Procédures pour réaliser
la consistance du contenu de l'enregistrement des métadonnées —
Partie 3: Domaines de valeur*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
1.1 Background	1
1.2 Purpose	1
1.3 Limits of this Technical Report	1
1.4 Registration approach — value domains and data elements	1
2 Normative references	1
3 Terms and definitions	2
4 Understanding value domains	2
4.1 Introduction	2
4.2 General principles	3
4.2.1 Introduction	3
4.2.2 Choice of codes	4
4.2.3 Number of permissible values	4
4.2.4 Conceptual domain hierarchies	4
4.2.5 Sharing value meanings across permissible values	5
4.2.6 Sharing value domains across data elements	5
4.2.7 Associating value domains with concepts (data element concepts and conceptual domains)	5
4.2.8 Value domains not associated with data elements	6
4.2.9 Contrasting conceptual domains and data element concepts	6
4.2.10 Non-enumerated value domains	6
4.2.11 Value domains with enumerated and non-enumerated components	7
4.2.12 Semantic restriction of use of value domains	8
4.2.13 Rapidly changing enumerated value domains (UPC example)	8
4.3 Structure in value domains	9
4.3.1 Introduction	9
4.3.2 International Standard Industrial Classification (ISIC)	9
4.3.3 Logical Observation Identifiers Names and Codes (LOINC)	11
4.4 Code sets as value domains	12
4.5 Classification schemes as value domains	13
4.6 Data types and value domains	15
4.6.1 Basics	15
4.6.2 Value domains with more than one data type — limitations of value meaning	15
4.7 Units of measure	16
4.8 Dimensionality	18
4.9 Classifying value domains	19
5 Registering value domains	20
5.1 Introduction	20
5.2 Rules for registering value domains	20
5.3 Strategies	23
5.4 Examples	23
5.4.1 Enumerated value domain	24
5.4.2 Non-enumerated value domain	30
Annex A Metamodel for value domains and conceptual domains	33
Bibliography	35