
**Information technology — Radio
frequency identification for item
management —**

**Part 7:
Parameters for active air interface
communications at 433 MHz**

*Technologies de l'information — Identification par radiofréquence pour
la gestion d'objets —*

*Partie 7: Paramètres de communications actives d'une interface d'air à
433 MHz*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Conformance	1
2.1 RF emissions general population	1
2.2 RF emissions and susceptibility health care setting	1
2.3 Command structure and extensibility	1
2.4 Mandatory commands	2
2.5 Optional commands	2
2.6 Custom commands	2
2.7 Proprietary commands	2
3 Normative references	2
4 Terms and definitions	3
5 Symbols and abbreviated terms	3
6 433,92 MHz active narrowband specification	3
6.1 Physical layer	3
6.2 Data Link layer	4
6.2.1 General	4
6.2.2 Preamble	5
6.2.3 Data bytes	5
6.2.4 Packet end period	5
6.2.5 Interrogator-to-tag message format	6
6.2.6 Tag-to-interrogator message format	9
6.3 Tag commands	16
6.3.1 Collection with Universal Data Block (UDB)	16
6.3.2 Sleep	21
6.3.3 Sleep all but	21
6.3.4 Security commands	22
6.3.5 Transit information commands	25
6.3.6 Manufacturing Information Commands	27
6.3.7 Memory commands	28
6.3.8 Delete Writeable Data	30
6.3.9 Read Universal Data Block	31
6.3.10 Database table commands	32
6.3.11 Beep ON/OFF	49
6.3.12 Sensor implementation	50
6.4 Tag collection and collision arbitration	51
6.5 Multi-packet UDB Collection	54
6.6 Physical and Media Access Control (MAC) parameters	56
6.6.1 Interrogator to tag link	56
6.6.2 Tag to interrogator link	58
6.6.3 Protocol parameters	59
6.6.4 Anti-collision parameters	60
Annex A (normative) Co-existence of different application standards based on ISO/IEC 18000-7	61
Bibliography	63