
**Information processing — Magnetic
ink character recognition —**

**Part 1:
Print specifications for E13B**

*Traitement de l'information — Reconnaissance des caractères à
encre magnétique —*

Partie 1: Spécifications d'impression E13B





COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Character configuration	1
2.1 Designation.....	1
2.2 Dimensions.....	2
3 Character spacing and alignment	2
3.1 Spacing.....	2
3.2 Alignment.....	2
4 Character skew	2
5 Character tolerances	3
5.1 Dimensions.....	3
5.2 Average edge definition.....	3
5.3 Average edge tolerance.....	3
5.4 Edge irregularity tolerance.....	3
5.5 Extraneous ink — attached.....	12
5.6 Minimum width of horizontal bars.....	13
6 Voids	13
6.1 Maximum allowable single voids.....	13
6.2 Maximum allowable combined voids.....	13
7 Uniformity of ink distribution	13
8 Extraneous ink	15
8.1 Magnetic.....	15
8.2 Nonmagnetic.....	15
8.3 Extraneous ink front.....	17
8.4 Extraneous magnetic ink back.....	17
9 Debossment	17
10 Embossment	17
11 Signal level	18
11.1 Definition of signal level.....	18
11.2 Nominal signal level.....	18
11.3 Relative signal level.....	18
12 Paper	19
13 Format	19
13.1 Reference edges.....	19
13.2 Clear band (MICR).....	33
13.3 Optical clear band.....	33
14 Optical clear band background	34
14.1 General.....	34
14.2 Background reflectance.....	34
14.3 Print contrast signal (PCS) — Magnetic ink printed character.....	34
14.4 Print contrast signal (PCS) — Within the background.....	34
15 Permanence of MICR printing	34
15.1 Permanence specification.....	34
Annex A (informative) Debossment of E-13B font	35
Annex B (informative) MICR Document Sampling References	36