
**Information technology — Real time
locating systems (RTLS) —**

**Part 61:
Low rate pulse repetition frequency Ultra
Wide Band (UWB) air interface**

*Technologies de l'information — Systèmes de localisation en temps réel
(RTLS) —*

*Partie 61: Interface d'air ultra large à bas taux de bande de fréquence
de répétition d'impulsion (UWB)*



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Symbols (and abbreviated terms).....	2
4 General description.....	3
4.1 Introduction.....	3
4.2 Components of the ISO/IEC 24730-61 RTLS network.....	4
4.3 Architecture	4
4.4 Functional overview	5
4.4.1 Data transfer from tag to infrastructure reader.....	5
4.4.2 Frame structure	5
4.4.3 Data verification.....	5
4.4.4 Overview of UWB options	6
5 PHY specification	6
5.1 General requirements and definitions.....	6
5.2 Modulation and data rates	6
5.3 LRP UWB PHY channel numbering	7
5.4 LRP UWB PHY symbol structure	7
5.4.1 Base mode OOK PHY symbol structure	8
5.4.2 Extended mode OOK PHY symbol structure.....	8
5.4.3 Long range mode PPM PHY symbol structure.....	10
5.4.4 LRP UWB SHR	11
5.4.5 LRP UWB PHY header (PHR)	12
5.4.6 LRP UWB data field	14
5.4.7 LRP UWB location enhancing information postamble.....	14
5.4.8 LRP UWB transmitter specification.....	15
5.4.9 LRP UWB reader specification.....	16
6 Tag management layer.....	16
6.1 Overview.....	17
6.2 Frame control.....	17
6.2.1 Frame type	17
6.2.2 Long frame control.....	17
6.2.3 Destination address mode	18
6.2.4 Source address mode.....	18
6.3 Sequence number	18
6.4 Tag ID (EUI-64).....	18
6.5 Encoding header	18
6.6 ISO/IEC 15963 ID.....	19
6.6.1 Allocation class	19
6.6.2 Manufacturer ID	20
6.6.3 Tag ID.....	20
6.7 Temperature sensor data	20
6.8 Optional extended ID.....	20
6.8.1 Ex-ID source.....	20
6.8.2 Ex-ID length.....	20
6.8.3 ExID.....	21