



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Series Q
Supplement 32
(11/2002)

SERIES Q: SWITCHING AND SIGNALLING

**Technical Report TRQ.2141.1: Signalling
requirements for the support of narrowband
services via broadband transport technologies –
CS-2 signalling flows**

ITU-T Q-series Recommendations – Supplement 32

ITU-T Q-SERIES RECOMMENDATIONS
SWITCHING AND SIGNALLING

SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE	Q.1–Q.3
INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING	Q.4–Q.59
FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN	Q.60–Q.99
CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS	Q.100–Q.119
SPECIFICATIONS OF SIGNALLING SYSTEM No. 4	Q.120–Q.139
SPECIFICATIONS OF SIGNALLING SYSTEM No. 5	Q.140–Q.199
SPECIFICATIONS OF SIGNALLING SYSTEM No. 6	Q.250–Q.309
SPECIFICATIONS OF SIGNALLING SYSTEM R1	Q.310–Q.399
SPECIFICATIONS OF SIGNALLING SYSTEM R2	Q.400–Q.499
DIGITAL EXCHANGES	Q.500–Q.599
INTERWORKING OF SIGNALLING SYSTEMS	Q.600–Q.699
SPECIFICATIONS OF SIGNALLING SYSTEM No. 7	Q.700–Q.799
Q3 INTERFACE	Q.800–Q.849
DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1	Q.850–Q.999
PUBLIC LAND MOBILE NETWORK	Q.1000–Q.1099
INTERWORKING WITH SATELLITE MOBILE SYSTEMS	Q.1100–Q.1199
INTELLIGENT NETWORK	Q.1200–Q.1699
SIGNALLING REQUIREMENTS AND PROTOCOLS FOR IMT-2000	Q.1700–Q.1799
SPECIFICATIONS OF SIGNALLING RELATED TO BEARER INDEPENDENT CALL CONTROL (BICC)	Q.1900–Q.1999
BROADBAND ISDN	Q.2000–Q.2999

For further details, please refer to the list of ITU-T Recommendations.

Supplement 32 to ITU-T Q-series Recommendations

Technical Report TRQ.2141.1: Signalling requirements for the support of narrowband services via broadband transport technologies – CS-2 signalling flows

Summary

This Supplement to ITU-T Q-series Recommendations is a technical report on the procedures, information flows and information elements needed for supporting CS-2 signalling requirement flows for the support of narrowband services via broadband transport technologies. Its scope is limited to functionality of the Serving Node and Call Mediation Node, and the associated protocols at the call control, bearer control, and call-bearer control levels needed for Capability Set 2.

Source

Supplement 32 to ITU-T Q-series Recommendations was revised by ITU-T Study Group 11 (2001-2004) and approved under ITU-T Recommendation A.13 (10/2000) procedure on 22 November 2002.