

INTERNATIONAL TELECOMMUNICATION UNION



TELECOMMUNICATION STANDARDIZATION SECTOR OF ITU



SERIES Q: SWITCHING AND SIGNALLING

Specifications of signalling related to Bearer Independent Call Control (BICC)

Bearer Independent Call Control protocol (Capability Set 2): Exceptions to the application transport mechanism in the context of BICC

ITU-T Recommendation Q.1902.5

(Formerly CCITT Recommendation)

ITU-T Q-SERIES RECOMMENDATIONS

SWITCHING AND SIGNALLING

SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE	Q.1–Q.3
INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING	Q.4-Q.59
FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN	Q.60-Q.99
CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS	Q.100-Q.119
SPECIFICATIONS OF SIGNALLING SYSTEMS No. 4 AND No. 5	Q.120–Q.249
SPECIFICATIONS OF SIGNALLING SYSTEM No. 6	Q.250-Q.309
SPECIFICATIONS OF SIGNALLING SYSTEM R1	Q.310Q.399
SPECIFICATIONS OF SIGNALLING SYSTEM R2	Q.400–Q.499
DIGITAL EXCHANGES	Q.500–Q.599
INTERWORKING OF SIGNALLING SYSTEMS	Q.600–Q.699
SPECIFICATIONS OF SIGNALLING SYSTEM No. 7	Q.700–Q.799
Q3 INTERFACE	Q.800–Q.849
DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1	Q.850–Q.999
PUBLIC LAND MOBILE NETWORK	Q.1000–Q.1099
INTERWORKING WITH SATELLITE MOBILE SYSTEMS	Q.1100-Q.1199
INTELLIGENT NETWORK	Q.1200–Q.1699
SIGNALLING REQUIREMENTS AND PROTOCOLS FOR IMT-2000	Q.1700-Q.1799
SPECIFICATIONS OF SIGNALLING RELATED TO BEARER INDEPENDENT CALL	Q.1900-Q.1999
CONTROL (BICC)	
BROADBAND ISDN	Q.2000–Q.2999
	1

For further details, please refer to the list of ITU-T Recommendations.

ITU-T Recommendation Q.1902.5

Bearer Independent Call Control protocol (Capability Set 2): Exceptions to the application transport mechanism in the context of BICC

Summary

This Recommendation describes exceptions to ITU-T Q.765, Signalling System No. 7 – Application transport mechanism, in the context of bearer independent call control, see ITU-T Q.1902.1, Bearer Independent Call Control Protocol (Capability Set 2): Functional description.

.

Source

ITU-T Recommendation Q.1902.5 was prepared by ITU-T Study Group 11 (2001-2004) and approved under the WTSA Resolution 1 procedure on 2 July 2001.