


ETSI TS 101 388 V1.4.1 (2007-08)

Technical Specification

**Access Terminals Transmission and Multiplexing (ATTM);
Access transmission systems on metallic access cables;
Asymmetric Digital Subscriber Line (ADSL) -
European specific requirements
[ITU-T Recommendation G.992.1 modified]**



Reference

RTS/ATTM-06007

Keywordsaccess, ADSL, basic, endorsement, interaction,
interworking, IP, ISDN, transmission***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2007.
All rights reserved.

DECT™, PLUGTESTS™ and UMTS™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	9
4 Configuration of ADSL.....	9
4.1 Methods for configuring ADSL over POTS.....	9
4.1.1 EC ADSL over POTS	9
4.1.2 FDD ADSL over POTS	10
4.2 Methods for configuring ADSL over ISDN	10
4.2.1 EC ADSL over ISDN	10
4.2.1.1 Downstream transmit spectral mask	10
4.2.1.2 Upstream transmit spectral mask	11
4.2.2 FDD ADSL over ISDN.....	12
4.2.2.1 Downstream transmit spectral mask	12
4.2.2.2 Upstream transmit spectral mask	12
4.3 Aggregate transmit power	13
5 Transmission performance objectives and test methods	13
5.1 Test procedures	14
5.1.1 Test set-up definition	14
5.1.2 Noise injection network.....	15
5.1.2.1 Differential mode injection	15
5.1.2.2 Common mode injection	15
5.1.3 Signal and noise level definitions	16
5.1.4 Noise levels calibration.....	16
5.1.4.1 Differential mode noise calibration.....	16
5.1.4.2 Common mode noise calibration.....	17
5.1.5 Startup training procedure	17
5.2 Test loops	17
5.2.1 Background information	17
5.2.2 Test loop topology	18
5.2.3 Test loop accuracy	19
5.3 Impairment generators.....	19
5.3.1 Functional description.....	19
5.3.2 Cable cross-talk models	21
5.3.3 Individual impairment generators.....	21
5.3.3.1 Equivalent NEXT disturbance generator [G1.xx]	22
5.3.3.2 Equivalent FEXT disturbance generator [G2.xx].....	22
5.3.3.3 Background noise generator [G3]	22
5.3.3.4 White noise generator [G4].....	22
5.3.3.5 Broadcast RF noise generator [G5].....	22
5.3.3.6 Amateur RF noise generator [G6].....	23
5.3.3.7 Impulse noise generator [G7].....	23
5.3.3.8 Line sharing noise generator [G8].....	24
5.3.4 Profiles of the individual impairment generators.....	24
5.3.4.1 Frequency domain profiles of generators G1 and G2	24
5.3.4.1.1 Frequency domain profiles for EC ADSL over POTS	25
5.3.4.1.2 Frequency domain profiles for EC ADSL over ISDN	26
5.3.4.1.3 Frequency domain profiles for FDD ADSL over POTS	26
5.3.4.1.4 Frequency domain profiles for FDD ADSL over ISDN	27
5.3.4.2 Time domain profiles of generator G1-G4.....	28