TELECOMMUNICATION
STANDARDIZATION SECTOR

OF ITU

P.56

(03/93)

TELEPHONE TRANSMISSION QUALITY OBJECTIVE MEASURING APPARATUS

OBJECTIVE MEASUREMENT OF ACTIVE SPEECH LEVEL

ITU-T Recommendation P.56

(Previously "CCITT Recommendation")

FOREWORD

The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the International Telecommunication Union. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, established the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

ITU-T Recommendation P.56 was revised by the ITU-T Study Group XII (1988-1993) and was approved by the WTSC (Helsinki, March 1-12, 1993).

NOTES

As a consequence of a reform process within the International Telecommunication Union (ITU), the CCITT ceased to exist as of 28 February 1993. In its place, the ITU Telecommunication Standardization Sector (ITU-T) was created as of 1 March 1993. Similarly, in this reform process, the CCIR and the IFRB have been replaced by the Radiocommunication Sector.

In order not to delay publication of this Recommendation, no change has been made in the text to references containing the acronyms "CCITT, CCIR or IFRB" or their associated entities such as Plenary Assembly, Secretariat, etc. Future editions of this Recommendation will contain the proper terminology related to the new ITU structure.

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1994

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

ITU-T RECMN*P.56 93 ■ 4862591 0585682 870 ■

CONTENTS

		Page
1	Introduction	1
2	Terminology	1
3	General	2
4	Method A – Immediate indication of speech volume for real-time applications	2
5	Method B – Active speech level for other applications than those mentioned in method A	3
6	Approximate equivalents of method B	6
7	Specification	6
8	Routine calibration of method-B meter	10
Annex	A – A method using a speech voltmeter complying with method B in network conditions	11