
**Human response to vibration —
Measuring instrumentation**

Réponse des individus aux vibrations — Appareillage de mesure

01000



Reference number
ISO 8041:2005(E)

© ISO 2005

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	2
3.1 Terms and definitions	2
3.2 Symbols	5
4 Reference environmental conditions	7
5 Performance specifications	7
5.1 General characteristics	7
5.2 Display of signal magnitude	9
5.3 Electrical output	10
5.4 Vibration sensitivity	10
5.5 Accuracy of indication at reference frequency under reference conditions	10
5.6 Frequency weightings and frequency responses	11
5.7 Amplitude linearity	14
5.8 Instrument noise	14
5.9 Signal-burst response	14
5.10 Overload indication	17
5.11 Under-range indication	18
5.12 Time averaging	18
5.13 Running r.m.s. acceleration	18
5.14 Reset	18
5.15 Timing facilities	19
5.16 Electrical cross-talk	19
5.17 Vibration transducer characteristics	19
5.18 Power supply	19
6 Mounting	19
7 Environmental and electromagnetic criteria	20
7.1 General	20
7.2 Air temperature	20
7.3 Surface temperature	20
7.4 Electrostatic discharge	20
7.5 Radio-frequency emissions and public-power-supply disturbances	21
7.6 Immunity to a.c. power-frequency fields and radio-frequency fields	21
7.7 Ingress of water and dust	22
8 Provision for use with auxiliary devices	22
9 Instrument marking	22
10 Instrument documentation	23
11 Testing and calibration	23
12 Pattern evaluation	24
12.1 Introduction	24
12.2 Testing requirements	25
12.3 Submission for testing	25
12.4 Marking of the vibration meter and information in the instrument documentation	25
12.5 Mandatory facilities and general requirements	26
12.6 Initial instrument preparation	26