

INTERNATIONAL STANDARD

**ISO
15099**

First edition
2003-11-15

Thermal performance of windows, doors and shading devices — Detailed calculations

Performance thermique des fenêtres, portes et stores — Calculs détaillés



Reference number
ISO 15099:2003(E)

© ISO 2003

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Symbols	2
3.1 General	2
3.2 Symbols and units	2
3.3 Subscripts	4
4 Determination of total window and door system properties	5
4.1 Thermal transmittance	5
4.2 Total solar energy transmittance	9
4.3 Visible transmittance	10
5 Vision area properties	10
5.1 Glazing layer optics	10
5.2 Glazing system optics	11
5.3 Vision area heat transfer	13
6 Frame effects	20
6.1 Area and lineal thermal transmittance	20
6.2 Governing equations for calculating thermal transmittance	20
6.3 Geometric representation and meshing	20
6.4 Solid materials	23
6.5 Effective conductivity — Glazing cavities	23
6.6 Effective conductivity — Unventilated frame cavities	23
6.7 Ventilated air cavities and grooves	30
7 Shading devices	31
7.1 Definitions	31
7.2 Optical properties	32
7.3 Slat type of shading	34
7.4 Ventilation	39
7.5 Total solar energy transmittance and thermal transmittance	50
8 Boundary conditions	50
8.1 General	50
8.2 Reference boundary conditions	50
8.3 Convective heat transfer	51
8.4 Longwave radiation heat transfer	55
8.5 Combined convective and radiative heat transfer	58
8.6 Prescribed density of heat flow rate	59
Annex A (informative) Solution technique for the multi-layer solar optical model	60
Annex B (normative) Thermophysical fill gas property values	62
Annex C (informative) Examples of calculated values for optical properties of slat type of shading devices	64
Bibliography	69