BS 5892-3: 1992+A2:2009

Railway rolling stock materials —

Part 3: Specification for monobloc wheels for traction and trailing stock

ICS 45.040



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Iron and Steel Standards Policy Committee (ISM/-) to Technical Committee ISM/69, upon which the following bodies were represented:

British Railways Board
British Steel Industry
London Underground Ltd.
Ministry of Defence
Railway Industry Association of Great Britain

This British Standard, having been prepared under the direction of the Iron and Steel Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 November 1992

© BSI 2008

First published February 1982 Second edition November 1992

The following BSI references relate to the work on this standard: Committee reference ISM/69 Draft for Comment 91 37392 DC

ISBN 978 0 580 63229 7

Amendments issued since publication

Amd. No.	Date	Comments
16282	31 March 2006	See Foreword
Amendment No. 2	31 December 2008	See Foreword

Contents

		Page
Committees responsible		Inside front cover
Foreword		ii
1 5	Scope	1
2	Definitions	1
3	3 Information to be supplied by the purchaser	
4	Classification and heat treatment	1
5	Manufacture	3
6	Manufacturer's brand marks	13
7	Inspection	17
8 '	Type and number of tests	17
9 '	Test methods	21
10 ′	Test results	21
11 (Conclusion of inspection	22
12	Certification	22
13	Protection in transport	22
Figure 1 — Key to symbols used in Table 4 (non-disc braked wheels)		vheels) 8
Figure 2 — Key to symbols used in Table 5 (disc brake wheels)) 12
Figure 3 — Oil injection hole		14
Figure 4 — Position of wear groove		15
Figure 5 — Correction of imbalance and position of residual stress		cress 16
Figure 6 — Position of brand marks on wheels		17
Figure 7 — Position of tensile and impact test samples and test pieces		st pieces 20
Figur	e 8 — Position of the Brinell hardness tests	23
Table	1 — Chemical composition	2
Table	2 — Permitted variations of product analysis from	
the specified range for significant elements		2
	3 — Heat treatment condition and mechanical properties	es 3
	4 — Machining allowances and dimensional tolerances	
for solid wheels (non-disc braked)		5
	5 — Machining allowances and dimensional tolerances	
for solid wheels (disc braked)		9 13
Table 6 — Ready for assembly tolerances		
Table 7 — Maximum residual imbalance		13
Table 8 — Type and number of tests		19
Publications referred to Inside back cov		

 $^{\circ}$ BSI 2008