
**Road vehicles — Compressed natural
gas (CNG) refuelling connector —**

**Part 3:
25 MPa (250 bar) connector**

*Véhicules routiers — Connecteur de remplissage en gaz naturel
comprimé (GNC) —*

Partie 3: Connecteur 25 MPa (250 bar)



Reference number
ISO 14469-3:2006(E)

© ISO 2006

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	2
4 General construction requirements.....	2
5 Nozzles.....	3
6 Standard receptacle dimensions	4
7 Receptacles	6
8 Instructions	6
9 Marking	7
10 Tests.....	7
10.1 General requirements.....	7
10.2 User interface	8
10.3 Impact resistance.....	8
10.4 Receptacle protective caps	9
10.5 Leakage at room temperature	9
10.6 Valve operating handle.....	10
10.7 Abnormal loads.....	10
10.8 Rocking/Twisting	11
10.9 Mounting hardware torque	12
10.10 Low and high temperatures.....	12
10.11 Durability	13
10.12 Hydrostatic strength.....	17
10.13 Corrosion resistance.....	17
10.14 Deformation	18
10.15 Non-igniting evaluation.....	18
10.16 Pressure-tight protective cap (PTPC).....	18
Annex A (informative) Nozzle characteristics	21
Annex B (informative) Manufacturing and production test plan	22
Annex C (normative) Receptacle test fixture.....	23