

Fiber Optic Wavelength Division Multiplexed (WDM) Singlemode Interconnect and Component Standards Mapping for Aerospace Platform Applications – Device Level Specification

RATIONALE

As aerospace fiber optics engineers turn to wavelength division multiplexed fiber optic technology for advanced network implementations, it is important that any standards produced agree and build on standards that already exist. This document seeks to leverage the standardization effort made by the telecommunication industry and identify how their efforts apply to aerospace applications.

TABLE OF CONTENTS

1.	SCOPE.....	4
2.	REFERENCES.....	4
2.1	Applicable Documents	5
2.1.1	Commercial Standards	5
2.1.2	Military Standards	7
3.	WDM STANDARDIZATION OVERVIEW	8
3.1	WDM Architecture Approach	8
3.2	Aerospace Environmental Consideration	8
3.3	Telecommunication WDM Standards	8
3.4	Aerospace to WDM Standards Mapping	9
4.	WDM ARCHITECTURES	11
4.1	Bus	11
4.2	Ring	13
4.3	Star	14
4.4	Switched.....	15
4.5	Future Architectures.....	15
5.	AEROSPACE REQUIREMENTS.....	16
5.1	Temperature.....	16
5.1.1	Storage Temperature, Low-Side.....	16
5.1.2	Operational Temperature, Low-Side, Outside Enclosure	16
5.1.3	Operational Temperature, Low-Side, Inside Enclosure	16
5.1.4	Storage Temperature, High-Side	16
5.1.5	Operational Temperature, High-Side, Outside Enclosure	16
5.1.6	Operational Temperature, High-Side, Inside Enclosure	17
5.1.7	Effects of Temperature on WDM Systems and Mitigation of Those Effects.....	18
5.2	Vibration	18
5.2.1	Operation through Vibration.....	18
5.2.2	Types of Vibration	18
5.2.3	Connector Vibration Standards.....	18
5.2.4	Module Vibration Limits.....	19

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2009 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
<http://www.sae.org>

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AIR5667>

5.2.5	Effects of Vibration on WDM Systems	19
5.3	Mechanical Shock	19
5.3.1	Connector Shock	20
5.3.2	Transceiver Shock	20
5.3.3	Effects of Shock	20
5.4	Contamination Exposure.....	20
5.5	Outgassing	20
5.6	Internal Moisture and Hermeticity	21
5.7	Forbidden Hazardous Materials.....	21
5.8	Materials which Degrade under Exposure to Light.....	21
5.9	Radiation	21
5.10	Additional Environmental Effects	21
5.11	Comparison to Commercial Standards.....	21
5.12	Summary – Environment	22
6.	TELECOMMUNICATIONS WDM STANDARDS	23
6.1	IEC	23
6.2	Telcordia	25
6.2.1	Telcordia GR-1209.....	25
6.2.2	Telcordia GR-1221.....	25
6.2.3	Telcordia GR-1312.....	26
6.2.4	Telcordia GR-468.....	26
6.2.5	Telcordia GR-2918.....	26
6.3	TIA/EIA.....	27
6.3.1	TR-42.11 Optical Systems	27
6.3.2	TR-42.13 Passive Optical Devices and Components.....	27
6.4	ITU.....	28
7.	AEROSPACE TO WDM STANDARDS MAPPING AND GAP DEFINITION – DEVICES	29
7.1	Fiber Optic Receivers	29
7.1.1	Performance.....	29
7.1.2	Reliability/Environmental.....	29
7.2	Fiber Optic Transmitters	30
7.2.1	Performance.....	30
7.2.2	Reliability/Environmental.....	31
7.3	Multiplexers and Demultiplexers	32
7.3.1	Performance.....	32
7.3.2	Reliability/Environmental.....	34
7.4	Optical Amplifiers	36
7.4.1	Performance.....	36
7.4.2	Reliability/Environmental.....	39
7.5	Optical Add / Drop Filters	39
7.5.1	Performance.....	39
7.5.2	Reliability/Environmental.....	41
7.6	Couplers/Splitters.....	42
7.6.1	Performance Parameters	42
7.6.2	Reliability/Environmental.....	43
8.	NOTES	45
8.1	Acronyms	45
8.2	Telcordia Technologies Inc Notice.....	46

LIST OF FIGURES

FIGURE 1 – BUS TOPOLOGY USING UNIDIRECTIONAL LINKS	12
FIGURE 2 – BUS TOPOLOGY USING BIDIRECTIONAL LINKS	12
FIGURE 3 – RING TOPOLOGY	13
FIGURE 4 – STAR TOPOLOGY	14
FIGURE 5 – SWITCH TOPOLOGY	15
FIGURE 6 – COOLING METHODS FOR AVIONICS MODULES	17
FIGURE 7 – POWER SPECTRAL DENSITY FOR RANDOM VIBRATION (FROM MIL-STD-1344) AND REPLOTTED FOR CLARITY	19

LIST OF TABLES

TABLE 1 – SUMMARY OF WDM COMPONENTS STANDARDS RESOURCES CONSULTED	10
TABLE 2 – LIST OF APPLICABLE MILITARY STANDARDS	22
TABLE 3 – EXAMPLE IEC DOCUMENTS FOR PASSIVE COMPONENTS (ADAPTED FROM ANSI DOCUMENTS DATABASE) FOCUSING ON REQUIREMENTS APPLICABLE TO SINGLE MODE FIBER SYSTEMS	23
TABLE 4 – EXAMPLE IEC DOCUMENTS FOR OPTICAL AMPLIFIER PARAMETERS AND TEST METHODS	24
TABLE 5 – TEMPLATE FOR DIGITAL RECEIVER CHARACTERISTICS	29
TABLE 6 – TEMPLATE FOR RECEIVER PARAMETERS FOR CHARACTERIZATION OF RECEIVER OPERATION	30
TABLE 7 – TEMPLATE FOR ACCELERATED AGING TEST FOR OPTOELECTRONIC DEVICES	30
TABLE 8 – TEMPLATE FOR DIGITAL TRANSMITTER CHARACTERISTICS	31
TABLE 9 – TEMPLATE FOR TRANSMITTER PARAMETERS FOR CHARACTERIZATION OF TRANSMITTER OPERATION	31
TABLE 10 – MULTIPLEXER/DEMULTIPLEXER PERFORMANCE PARAMETERS	32
TABLE 11 – OPTICAL PERFORMANCE CHARACTERISTICS FOR OPTICAL MULTIPLEXERS AND DEMULTIPLEXERS FROM GR-1209	33
TABLE 12 – MULTIPLEXER/ DEMULTIPLEXER MEASUREMENT METHODS (FROM IEC 61753-081-2)	34
TABLE 13 – MULTIPLEXER AND DEMULTIPLEXER RELIABILITY/ENVIRONMENTAL PARAMETERS (FROM IEC 61753-081-2)	35
TABLE 14 – MULTIPLEXER AND DEMULTIPLEXER ENVIRONMENTAL AND RELIABILITY TEST METHODS (FOR ADDITIONAL INFORMATION, SEE IEC 61753-081-2)	36
TABLE 15 – REQUIRED RELIABILITY TESTS FOR PASSIVE OPTICAL COMPONENTS (SECTIONS INDICATED ARE IN GR-1221)	36
TABLE 16 – TEMPLATE FOR BOOSTER AMPLIFIERS (BA) AND PREAMPLIFIERS FOR MULTICHANNEL APPLICATIONS	37
TABLE 17 – TEMPLATE FOR OPTICAL FIBER AMPLIFIER CHARACTERISTICS	37
TABLE 18 – OPTICAL AMPLIFIER TEST METHOD SUMMARY (FROM IEC 61291-1)	38
TABLE 19 – ENVIRONMENTAL PARAMETERS FOR BOOSTER AMPLIFIERS (BA) AND PREAMPLIFIERS FOR MULTICHANNEL APPLICATIONS DEFINED IN IEC 61291-4	39
TABLE 20 – OPTICAL PERFORMANCE CRITERIA FOR PASSIVE OPTICAL COMPONENTS (DEFINED IN TELCORDIA GR-1209-CORE, ISSUE 3)	40
TABLE 21 – OPTICAL FILTER TEST METHODS (FROM ITU G.671)	41
TABLE 22 – PARAMETERS FOR FIBER OPTIC COUPLERS/SPLITTERS (FROM IEC 61753-2-3)	42
TABLE 23 – OPTICAL PERFORMANCE CRITERIA SUMMARY FOR PASSIVE OPTICAL COMPONENTS (COUPLERS SPLITTERS) FROM GR-1209	43
TABLE 24 – ENVIRONMENTAL AND RELIABILITY PARAMETERS AND TEST METHODS FOR FIBER OPTIC COUPLERS AND SPLITTERS (REFERENCES TO RELEVANT IEC DOCUMENTS FROM IEC 61753-2-3)	44