
**Metallic and other inorganic
coatings — Measurement of Young's
modulus of thermal barrier coatings
at elevated temperature by flexural
resonance method**





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus for measuring resonance frequency	2
6 Specimen	3
6.1 Shape and dimensions.....	3
6.2 Preheat treatment.....	4
7 Measuring procedure	4
7.1 Dimension and mass of specimen.....	4
7.2 Resonance frequency.....	5
8 Calculation of Young's modulus	6
8.1 General.....	6
8.2 Young's modulus of the substrate.....	6
8.3 Young's modulus of BC.....	6
8.4 Young's modulus of TC.....	7
9 Test report	7
Annex A (informative) An example of the apparatus for measuring the resonance frequency	9
Bibliography	10